

# FLOORING TECHNOLOGY

## MACHINES AND TOOLS



# ROLL GMBH - INTRODUCING OURSELVES

Roll GmbH is German leading manufacturer of machines for the removal of floor coverings, machines for surface preparation and machines and tools for the installation of all kind of floor coverings. Furthermore a large assortment of different flooring profiles is offered for a wide range of applications.

Roll GmbH also is the Roll family and their dedicated team which works with passion for the flooring technology for more than 35 years. Since the company was founded by Dieter and Rosemarie Roll, mile stones were set in the flooring industry e.g. the Bullystripper. The second generation family business has set new standards for the industry in recent years.

The expansion of the research and development department enabled innovation activities aimed at technological leadership, and the history of self-propelled stripper machines with an alternative drive concept and intelligent controls began in 2013 with the introduction of the ROLL-STRIPPER RO-1. Meanwhile, Roll GmbH provides a complete roll stripper family after introducing the ROLL-STRIPPER RO-2 in 2015, the ROLL-STRIPPER RO-3 in 2017 and the ROLL-STRIPPER RO-5 in 2022.

At the same time, the range of floor grinding machines was developed, which sustainably improves the surface processing options for floor layers. After the introduction of the floor grinding machine RO-300 in 2016, the range has been expanded over the years to include the larger floor grinding machine RO-400 and the smaller floor grinding machine RO-250. All machines are manufactured on the in-house assembly line.

The range of tools and machines is rounded off by a system of aluminum floor profiles. Thus, Roll GmbH offers an overall concept for every floor layer.

In order to accommodate the growing product range, a new logistics center with a 3,000 square meter storage, logistics and administration area was opened in the Engstingen-Haid business park on October 1, 2023. The new building offers the 25 employees plenty of space and growth potential for new products and the next generation.

„We not only want to satisfy our customers, we want to fascinate them“ this is what the siblings Beatrice, Stephan and André Roll clearly want to express. This works best with products which convince and furthermore with a remarkable service, these two features make the Roll GmbH successfully all over the world.




Experience what drives us and get to know our company better!  
In our company film on YouTube

> Click here for the film



**André Roll**  
Managing Director

Mobile: +49(0)162/9166605  
Phone: +49(0)7128/92 80-24  
Email: andre.roll@roll-gmbh.de



**Michael Dorow**  
Sales Manager Germany  
Sales territory 1: South-West

Mobile: +49(0)162/9166607  
Phone: +49(0)7128/92 80-16  
Email: michael.dorow@rollgmbh.de



**Armin-Georg Jaschik**  
Sales territory 4: East / North-East

Mobile: +49(0)151/15337427  
Phone: +49(0)7128/92 80-0  
Email: armin.jaschik@roll-gmbh.de



**Maik Oliver Kolcan**  
Sales territory 5: West

Mobile: +49(0)162/1555113  
Phone: +49(0)7128/92 80-0  
Email: maik.kolcan@roll-gmbh.de




**Alexander Berndt**  
Sales territory 3: Center

Mobile: +49(0)171/4747199  
Phone: +49(0)7128/92 80-0  
Email: alexander.berndt@roll-gmbh.de



**Julian Helchenberg**  
Sales territory 2: South / South-East

Mobile: +49(0)162/5211199  
Phone: +49(0)7128/92 80-0  
Email: julian.helchenberg@roll-gmbh.de



**Michael Wirges**  
Sales territory 6: North-West

Mobile: +49(0)151/22622667  
Phone: +49(0)7128/92 80-0  
Email: michael.wirges@roll-gmbh.de



**Nils Harder**  
Sales territory 7: North

Mobile: +49(0)171/6984721  
Phone: +49(0)7128/92 80-0  
Email: harder@hv-nord.com

<b>01</b>	<b>FLOOR COVERING REMOVAL</b> Stripper machines, ride-on strippers, self-propelled strippers, carpet strippers, stripper blades, parquet saw, stair climber, hand tools and accessories for flooring removal	02 - 10
<b>02</b>	<b>RENOVATION OF SUBSTRATES</b> Floor grinding machines, hand grinding machines, grinding discs and accessories for renovating surfaces	11 - 19
<b>03</b>	<b>SURFACE PREPARATION</b> Single disc machines, dust extraction, discs for single-disc machines, grinding discs and accessories for surface preparation	20 - 27
<b>04</b>	<b>PARQUET SANDING TECHNOLOGY</b> Parquet sanding machines, multi-disc machines, edge sanding machines, sanding discs and accessories for parquet sanders	28 - 32
<b>05</b>	<b>DUST EXTRACTION TECHNOLOGY</b> Construction vacuum cleaners, industrial vacuum cleaners, dust pre-separators, air purifiers, accessories for construction vacuum cleaners	33 - 38
<b>06</b>	<b>HAND TOOLS FOR SURFACE PREPARATION</b> Scrapers, spatulas, edge sanding blocks, hand grinding stones	39
<b>07</b>	<b>INSTALLING FLOOR COVERINGS</b> Installation tools for linoleum, carpets, parquet, machines and tools for welding of elastic floor coverings, joint cutters, hot air welders, pressure rollers, squeegees, serrated spatulas	40 - 56
<b>08</b>	<b>MOISTURE METERS</b> CCM moisture meters, moisture testers, air temperature and humidity meters, steel rulers	57 - 59
<b>09</b>	<b>ABRASIVES</b> Sanding discs for single-disc machines, sanding grids, sanding belts and sanding discs for parquet and edge sanding machines, cleaning and sanding pads	60 - 64
<b>10</b>	<b>CUTTING TOOLS</b> Blades, knives, scissors, cutters	65 - 68
<b>11</b>	<b>MIXERS</b> Mixers, mixing tools, mixer holder, mixing station	69 - 70
<b>12</b>	<b>FASTENING TECHNOLOGY</b> Assembly adhesive, spray adhesive, steel pins, screed clips	71 - 72
<b>13</b>	<b>PERSONAL PROTECTIVE EQUIPMENT</b> Knee pads, respirators	73
<b>14</b>	<b>FLOOR PROTECTION MATS</b> Polycarbonate chair mats	74

# STRIPPER MACHINES

FOR REMOVAL OF FLOORING COVERINGS



# STRIPPER MASCHINES



## ROLL-STRIPPER RO-1.1

17.11000

34.900,00

Compact ride-on stripper for professional removal of all extremely bonded floor coverings on medium and large areas.

### Special features:

- For medium and large areas
- Stepless speed control up to 37m / min
- Maximum efficiency by the striking mechanism
- Stepless working angle for optimal use on different floor coverings and surfaces
- High contact pressure of the stripper tool by additional lifting motor
- High torque (double torque of the proven RO-2 stripper)
- Very smooth running thanks to large drive wheels (400mm)
- Effortless work by comfortable joystick control
- Quiet operation by industrial electric motors (85 dB (A))
- Very manoeuvrable and compact

### Areas of application:


- Removal of parquet
- Removal of ceramic tiles
- Removal of elastic floor coverings
- Removal of textile floor coverings
- Removal of PVC floor coverings
- Removal of sports floor coverings

### Included in delivery:

- Stripper-tool 350mm flat
- Stripper-tool 350mm U-shape
- 10m industrial extension cable
- Tool set
- Personal protective equipment

### Technical specifications:

Drive engines left/right: each 1,5 kW, 230 volts  
Torque: 654 Nm  
Adjustable speed: up to 37 m / min  
Stroke engine: 1,1 kW, 230 volts  
Blow count: 2000 beats per minute (bpm)  
Lifting motor: 8600 N nominal force  
Adjustable working angle: up to 40°  
Working width: 120 / 250 / 300 / 350 mm  
Dimensions: 1050 x 600 x 1100 mm  
Weight: 528 kg, modular construction



## STRIPPER-TOOL 250x80x2mm FLAT

17.18400

65,00

## STRIPPER-TOOL 350x80x2mm FLAT

17.18420

89,00

## STRIPPER-TOOL 350x80x2mm U-FORM A

17.18450

99,00

Bevel up

## STRIPPER-TOOL 350x80x2mm U-FORM B

17.18460

99,00

Bevel down

## STRIPPER-TOOL 250x150x6mm FOR PARQUET

17.18588

275,00

Special tool, flat pressure angle

## STRIPPER-TOOL 250x180x6mm FOR PARQUET

17.18589

275,00

Special tool, medium pressure angle

## STRIPPER-TOOL 60mm

17.18592

275,00

For removal parquet and tiles

## STRIPPER-TOOL 80mm

17.18594

275,00

For removal parquet and tiles

## STRIPPER-TOOL 100mm

17.18596

275,00

For removal parquet and tiles

## STRIPPER-TOOL 120mm

17.18598

275,00

For removal parquet and tiles



# ROLL-STRIPPER MACHINES


## STRIPPER MACHINES WITH DRIVE

- **INNOVATIVE DRIVE CONCEPT WITH CHAIN WHEELS**  
prevents the wheels from spinning


- **CONVENIENT JOYSTICK CONTROL**  
ensures low-fatigue work

- **QUIET INDUSTRIAL ELECTRIC MOTORS**  
enable use in sensitive areas

- **MADE IN GERMANY**  
development and production at the Sonnenbühl location



# STRIPPER MACHINES



## ROLL-STRIPPER RO-2

17.18000

13.390,00

The ROLL-STRIPPER RO-2 is a compact stripper machine with chain drive for professional removal of bonded floor coverings such as parquet, carpeting, linoleum, PVC and vinyl.

- powerful industrial motors
- innovative drive technology
- innovative tool technology
- joystick operation
- low vibration and noise level
- easy to transport

### Technical specifications:

Drive engine: 1,5 kW, 230 volts with worm gear

Torque: 327 Nm

Stroke engine: 1,1 kW, 230 volts

Blow count: 2500 beats per minute (bpm)

Stroke length: adjustable in 3 levels


Working width: up to 350 mm

Dimensions: 380 x 760 x 1100 mm

Weight: 195 kg

Included in delivery:

- Stripper-tool 250mm flat
- Stripper-tool 250mm U-shape
- 10m industrial extension cable
- Tool kit
- Carrying handles
- Personal protective equipment
- Transport wheels



## STRIPPER-TOOL 250x80x2mm FLAT

17.18400

65,00

## STRIPPER-TOOL 350x80x2mm FLAT

17.18420

89,00

## STRIPPER-TOOL 250x80x2mm U-FORM A

17.18430

89,00

Bevel up

## STRIPPER-TOOL 250x80x2mm U-FORM B

17.18440

89,00

Bevel down

## STRIPPER-TOOL 350x80x2mm U-FORM A

17.18450

99,00

Bevel up

## STRIPPER-TOOL 350x80x2mm U-FORM B

17.18460

99,00

Bevel down

## STRIPPER-TOOL 250x60x2mm U-FORM A

17.18520

79,00

Steeper angle

## STRIPPER-TOOL 250x80x1,5mm FLAT

17.22300

34,90

## STRIPPER-TOOL 250x80x1,5mm U-FORM A

17.22330

39,00

Bevel up

## STRIPPER-TOOL 250x80x1,5mm U-FORM B

17.22340

39,00

Bevel down

## STRIPPER-TOOL 250x70x2mm

17.18475

83,00

Working width 100mm

## STRIPPER-TOOL 250x150x6mm FOR PARQUET

17.18588

275,00

Special tool, steep pressure angle


## STRIPPER-TOOL 250x180x6mm FOR PARQUET

17.18589

275,00

Special tool, medium pressure angle

# STRIPPER MACHINES



## ADDITIONAL WEIGHT FOR RO-2

43.00303

237,81

11,5 kg. Incl. damping pad and screw set.  
Per machine max. 4 pieces.



## CARRYING AID FOR RO-2

43.00444

143,23

For a simplified loading, unloading and transport over stairs.  
Set of 2 pieces



## CARRYING HANDLE WITH RUBBER HANDLE

43.00436

34,87

Price per piece



## DRIVING AID FOR RO-2 AND RO-3

47.00580

129,65

With castors for easy transport to the job site



## RAMP 240x2000mm

17.17750

628,56

For loading of heavy equipment into vans. With non-slip profile.  
Capacity: 1000 kg / pair.

Set of 2 pieces



## RAMP 250x2500mm FOLDABLE

17.17760

957,74

For loading of heavy equipment into vans. With non-slip profile.

Length: 2,5m (1,25m folded)  
Width: 250mm  
Capacity: 550 kg/pair

Set of 2 pieces



## PRE-CUTTER RO-STRIPMASTER

17.18900

222,48


Perfect tool for pre-cutting strips of resilient and textile floor coverings as preparatory work before removing the floor covering.

Adjustable working angle and adjustable handles allow ergonomic working while standing.

Works with a standard hook blade.  
Blade change without tools.



# STRIPPER MACHINES



Optionally available with drive wheel

## Der ROLL-STRIPPER RO-3

17.19000

9.990,00

The ROLL-STRIPPER RO-3 is a compact stripper machine with chain drive for professional removal of bonded floor coverings such as carpeting, linoleum, PVC and vinyl. The large transport wheels allow transport by 1 person. This makes the new ROLL-STRIPPER RO-3 the ideal companion for all installation companies.

- fast and easy transport to the place of use with pneumatic transport wheels
- transportable by 1 person
- effortlessly working with the stepless joystick control
- use in noise sensitive areas due to low vibration and noise level
- compact and manoeuvrable
- powerful through the use of industrial motors
- effective on different floor coverings with infinitely adjustable working angle

### Technical specifications:

Drive engine: 1,1 kW, 230 volts with worm gear

Torque: 200 Nm

Stroke engine: 1,1 kW, 230 volts

Blow count: 2500 beats per minute (bpm)

Stroke length: adjustable in 3 levels

Working angle: stepless adjustable from 18° to 32°

Working width: up to 300 mm

Dimensions: 315 x 670 x 1100 mm

Weight: 123 kg

Included in delivery:

- Stripper-tool 200mm flat
- Stripper-tool 200mm U-shape
- 10m industrial extension cable
- Tool kit
- Carrying handles
- Personal protective equipment
- Transport wheels with pneumatic tires

## ADDITIONAL WEIGHT FOR RO-3

47.00333

219,68

7,5 kg. Incl. damping pad and screw set.

Per machine max. 3 pieces.

## CARRYING AID FOR RO-3

47.00555

143,23

For a simplified loading, unloading and transport over stairs.

Set of 2 pieces

## CARRYING HANDLE WITH RUBBER HANDLE

43.00436

34,87

Price per piece

## DRIVING AID FOR RO-2 AND RO-3

47.00580

129,65

With castors for easy transport to the job site

## STRIPPER-TOOL 200x80x2mm FLAT

17.19620

62,00

## STRIPPER-TOOL 150x80x2mm U- FORM A

17.19615

82,00

Bevel up

## STRIPPER-TOOL 150x80x2mm U- FORM B

17.19616

82,00

Bevel down

## STRIPPER-TOOL 200x80x2mm U- FORM A

17.19640

85,00

Bevel up

## STRIPPER-TOOL 200x80x2mm U- FORM B

17.19645

85,00

Bevel down

## STRIPPER-TOOL 250x80x1,5mm FLAT

17.22300

34,90

## STRIPPER-TOOL 250x80x1,5mm U-FORM A

17.22330

39,00

Bevel up


## STRIPPER-TOOL 250x80x1,5mm U-FORM B

17.22340

39,00

Bevel down

# STRIPPER MACHINES



<b>ROLL-STRIPPER RO-5</b>	17.25000	6.790,00
---------------------------	----------	----------

The ROLL-STRIPPER RO-5 is a compact stripper machine for professional removal of bonded floor coverings such as carpeting, linoleum, PVC and vinyl.

The ROLL-STRIPPER RO-5 can be dismantled in two parts for transport. The large transport wheels allow transport by 1 person. This makes the new ROLL-STRIPPER RO-5 the ideal companion for all installation companies.

- fast and easy transport to the place of use with pneumatic transport wheels
- transportable by 1 person
- effortlessly working with the stepless joystick control
- use in noise sensitive areas due to low vibration and noise level
- compact and manoeuvrable
- powerful through the use of industrial motors
- effective on different floor coverings with infinitely adjustable working angle

**Technical specifications:**  
Drive engine: 0,75 kW, 230 volts with worm gear  
Torque: 145 Nm  
Stroke engine: 0,75 kW, 230 volts  
Blow count: 2800 beats per minute (bpm)  
Working angle: stepless adjustable from 20° to 40°  
Working width: up to 300 mm  
Dimensions: 305 x 640 x 1080 mm  
Weight: 95 kg

- Included in delivery:
- Stripper-tool 200mm flat
  - 10m industrial extension cable
  - Tool kit
  - Personal protective equipment
  - Transport wheels

Illustration shows device with optionally mounted additional weights!

<b>ADDITIONAL WEIGHT FOR RO-5</b>	17.25910	110,68
-----------------------------------	----------	--------

6 kg

<b>STRIPPER-TOOL 200x80x2mm FLAT</b>	17.19620	62,00
--------------------------------------	----------	-------

<b>STRIPPER-TOOL 150x80x2mm U- FORM A</b>	17.19615	82,00
---	----------	-------

Bevel up

<b>STRIPPER-TOOL 150x80x2mm U- FORM B</b>	17.19616	82,00
---	----------	-------

Bevel down

<b>STRIPPER-TOOL 200x80x2mm U- FORM A</b>	17.19640	85,00
---	----------	-------

Bevel up

<b>STRIPPER-TOOL 200x80x2mm U- FORM B</b>	17.19645	85,00
---	----------	-------

Bevel down

# STRIPPER MACHINES



## PARQUET SAW RO-4

17.19700

3.590,00

Indispensable for the dismantling of parquet!

With the parquet saw RO-4, the parquet is precut very quickly and in an upright position. You optimize the preparatory work for dismantling in order to remove parquet even faster and more effective with the ROLL-STRIPPERS.

- very ergonomic use in upright position
- extremely effective with the special saw blade
- simple and safe handling with the lowering mechanism
- adjustable cutting depth from 0 to 22mm
- dust-free working with the integrated dust extraction device

### Technical specifications:

Drive engine: 2200 W, 230 V

Rotation: 4000 rpm

Blade: Ø 180 mm

Cutting depth: 0 mm - 22 mm

Dimensions: 500 x 280 x 950 mm

Weight: 31 kg

**NEW** Delivery including diamond saw blade.



## DIAMOND BLADE FOR PARQUET SAW

43.40575

542,88

Ø 180 mm

## CARBIDE BLADE FOR PARQUET SAW

43.40555

218,58

Ø 180 mm

## STAIRCLIMBER CARGOMASTER TYPE CC160

17.17900

4.090,00

Lifting capacity 160 kg, speed 12-25 steps/minute.

The CC160 stair climber is the right choice when it comes to medium-heavy or bulky loads. Its low weight and easy handling make the CargoMaster an indispensable tool.

### Advantages

- Safe transport, up to 160 kg over stairs
- Step edge braking system
- ComfortStep for gentle climbing
- Single step switching
- Multi-level battery indicator

### Technical specifications:

Lifting capacity: 160 kg

Weight with quick-change battery: 28,9 kg

Height | width | Depth in mm: 1065-1490 | 446 | 300

Range on one battery charge: 8-25 floors

Rate of climb: 12- 25 steps per minute

(rate of climb and range may decrease as load increases)

Delivery:

Stair climber CargoMaster Typ CC160 , 1 battery, 1 charger, platform size 400x440x8mm, tension belt



## QUICK-CHANGE BATTERY

17.17910

339,00

For stairclimber CargoMaster Type CC160



# STRIPPER MACHINES



Use without handle

## ROLL BULLYSTRIPPER WITH T-HANDLE

17.14575

1.280,00

The ROLL-Bullystripper with T-handle is a hand-held scraper machine for removal old floor coverings like carpet, linoleum and pvc.

2 in 1: a multi-purpose machine for larger areas as well as small fields which are difficult to reach like stairs and niches. Top cost/performance ratio!

Bullystripper comes with carrier with wheels to protect the engine and for more comfortable work.

Standard blade 60x210mm included.

### Technical specifications:

Power: 2200 W, 230 V

Weight: 14,5kg

Working width: 210mm

## BLADE FOR BULLYSTRIPPER

17.14580

15,09

Standard blade 60x210mm for universal use

## BLADE FOR BULLYSTRIPPER

17.14582

121,36

Standard blade 60x210mm for universal use

Pack of 10 units

## BLADE FOR BULLYSTRIPPER "PLUS"

17.14581

26,64

Special blade 60x210mm hardened, 1,5mm thick, with higher wear resistance

## U-BLADE FOR BULLYSTRIPPER

17.14592

27,38

60mmx210mm with U-shape 45° bending.

Self-cutting for soft floor coverings.

## JUMBO BLADE FOR BULLYSTRIPPER

17.14595

45,45

With anti-stick coating (Teflon) and waved cut, ideal for carpets with felt back, PVC and lino. 210mm.

## BLADE FOR BULLYSTRIPPER

17.14590

22,37

130x210mm for soft floor coverings.

## BLADE FOR HANDSTRIPPER

17.14511

12,29

Standard blade 145mm, trapezium, for universal use

## BLADE FOR HANDSTRIPPER "PLUS"

17.14512

25,93

Special blade 108mm hardened, 1,5mm thick, with higher wear resistance

## CARPET CLAMP DE LUXE

17.14630

44,20

With the carpet clamp "de luxe" weakly bonded or only fixed floor coverings can be removed manually.

By pulling on the ergonomic handle, the floor covering is clamped in the toothed clamping device. Made from a special aluminum alloy.

The must-have for every floor layer, in addition to the stripper machines!



# ROLL-FLOOR GRINDING MACHINES

FOR EFFICIENT SURFACE PREPARATION

- **HIGH AREA PERFORMANCE**  
thanks to high speed and torque

- **LOW-DUST WORK**  
with the integrated dust extraction system

- **QUIET INDUSTRIAL ELECTRIC MOTORS**  
enable use in sensitive areas

- **MADE IN GERMANY**  
development and production at the Sonnenbühl location



# FLOOR GRINDING MACHINES



## FLOOR GRINDING MACHINE RO-400

17.15840

5.590,00

The ROLL floor grinding machine RO-400 was developed for surface preparation in industrial and commercial properties. With the powerful three-phase motor, you can easily carry out any surface preparation works.

- high performance through a 400mm diameter
- powerful 4.0 kW three-phase motor
- direct-drive mechanism
- operating hours counter
- effortlessly working due to the smooth running of the machine and adjustable drawbar
- easy transport due to compact dimensions and a foldable drawbar
- dustfree working with the integrated dust extraction device

### Technical specifications:

Working power: 4,0 kW / 400 V

Rotation: 1450 rpm

Weight: 79 kg

Working width: 400 mm



## FLOOR GRINDING MACHINE RO-300

17.16800

4.820,00

The ROLL floor grinding machine RO-300 sets new standards in surface preparation. Whether removing floor covering residues, adhesive residues, leveling compounds or floor coatings - regardless of what you find after removing the floor covering - with the floor grinding machine RO-300 you can prepare the surface quickly and effectively.

- soft start and low power consumption, therefore no triggering of fuses on weakly secured construction sites
- effortlessly working due to the smooth running of the machine
- dust-free working with the integrated dust extraction device
- easy transport due to compact dimensions and a foldable drawbar
- individual billing with the integrated hour meter
- long service life and effectiveness of the tools Made in Germany

### Technical specifications:

Working power: 2200 W / 230 V

Rotation: 1650 rpm

Weight: 63 kg

Working width: 300 mm

## FLOOR GRINDING MACHINE RO-300 DIRECT DRIVE

17.16900

4.190,00

As previously described, but with a direct driven 400 volt motor.

### Technical specifications:

Working power: 3,0 kW / 400 V

Rotation: 1410 rpm

Weight: 62 kg

## FLOOR GRINDING MACHINE RO-250

17.10250

3.520,00

The ROLL floor grinding machine RO-250 is a compact grinding machine for surface preparation on small to medium-sized areas. For removing any residues after removing floor coverings such as adhesives, leveling compounds, coatings and much more.

- high power and area performance
- easy transport through the foldable drawbar
- can be used very well in the edge area by adjusting the drawbar
- dust-free work with the integrated dust extraction device

### Technical specifications:

Working power: 1800 W / 230V

Rotation: 1450 rpm

Weight: 49 kg

Working width: 250 mm





# FLOOR GRINDING MACHINES



## DIAMOND DISC "V12"

Diamond disc for grinding work on mineral surfaces.  
For sanding screeds and fillers, sanding loose fillers  
and thin, non-smearing adhesive layers.

Ø 400mm grit 30/40  
Ø 400mm grit 30/40 (soft bond)

Ø 300mm grit 30/40 (red)  
Ø 300mm grit 30/40 (hard bond)  
Ø 300mm grit 30/40 (soft bond)  
Ø 300mm grit 60/80 (salmon red)  
Ø 300mm grit 100/120 (white)

Ø 250mm grit 30/40  
Ø 250mm grit 30/40 (hard bond)  
Ø 250mm grit 30/40 (soft bond)

Ø 160mm

17.15875	1.051,23
17.15859	1.051,23
17.16875	859,84
17.16832	859,84
17.16859	859,84
17.16876	859,84
17.16877	859,84
17.10275	777,13
17.10243	777,13
17.10254	777,13
17.16895	492,47



## DIAMOND DISC "V10"

Diamond disc for grinding work on mineral surfaces.  
For sanding screeds and fillers, sanding loose fillers  
and thin, non-smearing adhesive layers.

Ø 300mm  
Ø 250mm

17.16841	530,00
17.10241	490,00



## PCD-DISC "PCD-TRAPECIUM"

PCD milling disc with trapezoidal PCD segments and support segments for removing  
floor coatings, paints, all types of adhesives and sealants (such as epoxy resin,  
polyurethane and acrylic), as well as for milling off levelling compound.

Ø 400mm  
Ø 300mm  
Ø 250mm

17.15894	1.179,43
17.16868	1.107,19
17.10268	982,65



## PCD-DISC "PRO+ TRAPECIUM"

PCD milling disc with half round PCD segments, trapezoidal PCD segments and support  
segments for removing all types of adhesives, as well as for milling off fillers, tile  
adhesives and coatings.

Combination of PCD trapezoid and PCD PRO disc.  
High effectiveness combined with aggressiveness and longevity.

Ø 400mm  
Ø 300mm

17.15895	1.161,34
17.16865	1.143,92



## PCD-DISC "PRO"

PCD milling disc with PCD segments and support segments for removing all types  
of adhesives and for milling off fillers, tile adhesives and coatings.  
Particularly aggressive and durable due to the size and arrangement  
of the PCD segments.

Ø 400mm  
Ø 300mm  
Ø 250mm  
Ø 160mm

17.15880	1.220,56
17.16880	1.039,94
17.10292	921,61
17.16896	704,10



## PCD-DISC "K8"

PCD disc with PCD grit segments for grinding work on mineral surfaces and for  
removing thin adhesive films and coatings.

Ø 300mm  
Ø 250mm

17.16844	620,00
17.10244	565,00

# FLOOR GRINDING MACHINES



## PCD-DISC "CR9"

PCD disc with PCD grit segments for grinding work on mineral surfaces and for removing thin adhesive films and coatings.

Ø 400mm  
Ø 300mm  
Ø 250mm  
Ø 160mm

17.15889	1.121,82
17.16889	951,69
17.10289	859,34
17.16897	550,31




## POLISHING DISC

Polishing disc with 6 velcro fasteners for diamond polishing pads 75mm. For dry polishing of concrete, screed, terrazzo, natural stone, porcelain stoneware, granite and marble.

Ø 400mm  
Ø 300mm

17.15950	718,48
17.16950	550,34



## DIAMOND POLISHING PADS Ø 75mm

Resin diamond polishing pads for universal use for dry polishing and perfect fine sanding. Long service life due to high diamond content.

Grit 60  
Grit 120  
Grit 220  
Grit 400  
Grit 800  
Grit 1500

17.16960	40,54
17.16962	40,54
17.16964	40,54
17.16966	40,54
17.16968	40,54
17.16970	40,54



## HOSE AND CABLE HOLDER

The hose and cable holder is a useful accessory for our floor grinding machines RO-300 and RO-400 to fix the suction hose and connection cable to the drawbar of the machine.

27.20526	130,01
----------	--------

# HANDHELD GRINDING MACHINES

## HANDY GRINDING MACHINES FOR ALL SURFACES

- **POWERFUL MOTORS**  
with high torque
- **LOW-DUST WORK**  
with the integrated dust extraction system
- **OPTIONAL CHASSIS**  
for better handling and long-term relaxed work
- **WIDE RANGE OF APPLICATIONS**  
for all sanding work from substrates to parquet
- **MADE IN GERMANY**  
development and production at the Sonnenbühl location



# HANDHELD GRINDING MACHINES



## HAND GRINDING MACHINE RO-125

19.14781

1.036,27

Application: universally applicable, ideal for edge areas and on stairs.  
For all subfloor works with a wide range of accessories. Including vacuum attachment for the connection of an external industrial vacuum cleaner.

### Technical specifications:

Working power: 1530 W  
Rotation: 3400-8000 rpm stepless  
Weight: 4,5 kg  
Working width: 125 mm

Delivery in metal carrying case.  
Delivery without diamond disc.



## DIAMOND DISC "FORGED"

19.14333

151,80

Ø 125 mm with special forged segments inductively welded.  
Applications: Concrete, abrasive concrete, screed and spackle.



## DIAMOND DISC "Z-SEGMENT FORGED"

19.14336

184,96

Ø 125 mm with forged diamond segments in a Z arrangement for grinding work on mineral surfaces. For leveling surfaces.



## DIAMOND DISC "R-SEGMENT"

19.14337

129,00

Ø 125 mm with forged diamond segments in a R arrangement for grinding work on mineral surfaces. For leveling surfaces.



## HYBRID DISC

17.16469

265,77

Ø 125 mm with poly-crystalline diamond cutters (PCD) and diamond segments.  
Universal disc to remove coatings, paintings, all kinds of adhesives and sealings as well as for milling of leveling compounds and tile adhesive



## PCD-DISC "PRO"

17.16485

509,04

Ø 125 mm with poly-crystalline diamond cutters (PCD) and PCD supporting elements.

To remove thick coatings and paintings, rough remainders of adhesives and sealings (e.g. epoxy resin, polyurethane, and acrylate). The PCD supporting elements prevent a deep engagement of PCD cutters.

Extremely long service life due to very high PCD proportion!



## DIAMOND DISC FOR WOOD

17.16486

253,45

Ø 125 mm to remove very hard and lubricating coatings on wooden floors.



## DIAMOND DISC 130mm x 25mm

17.16484

159,00

Special size 130mm x 25mm mounting hole for Festool renovation grinder.  
Includes reduction ring to 22.2mm mounting hole for common angle grinders.

Areas of application: for concrete, abrasive concrete, screed, filler.



## SANDING FRAME FOR RO-125

24.70410

115,00

For better handling and long-term relaxed work.  
The correct working angle is set with 2 height-adjustable castors.

## WOOD SANDING KIT FOR RO-125

24.70400

139,96

Application as edge sander. Including: Velcro sanding disc Ø 125mm for velcro sanding discs and a sanding frame with 2 height adjustable castors.

# HANDHELD GRINDING MACHINES



## HAND GRINDING MACHINE RO-180

19.14870

1.273,46

Universally applicable for all subfloor works with a wide range of accessories. Including vacuum attachment for the connection of an external industrial vacuum cleaner.

### Technical specifications:

Working power: 2600 W

Rotation: 6500 rpm

Weight: 9,3 kg

Working width: 180 mm

Delivery in metal carrying case.

Delivery without diamond disc.



## DIAMOND DISC "FORGED"

19.14814

310,45

Ø 180 mm with special forged segments inductively welded.

Applications: Concrete, abrasive concrete, screed and spackle.




## DIAMOND DISC "Z-SEGMENT FORGED"

19.14835

369,89

Ø 180 mm with forged diamond segments in a Z arrangement for grinding work on mineral surfaces. For leveling surfaces..



## HYBRID DISC

19.14815

382,23

Ø 180 mm with poly-crystalline diamond cutters (PCD) and diamond segments.

Universal disc to remove coatings, paintings, all kinds of adhesives and sealings as well as for milling of leveling compounds and tile adhesives.



## PCD-DISC "PRO"

19.14803

653,40

Ø 180 mm with poly-crystalline diamond cutters (PCD) and PCD supporting elements.

To remove thick coatings and paintings, rough remainders of adhesives and sealings (e.g. epoxy resin, polyurethane, and acrylate). The PCD supporting elements prevent a deep engagement of PCD cutters.

Extremely long service life due to very high PCD proportion!



## DIAMOND DISC FOR WOOD

19.14816

497,30

Ø 180 mm to remove very hard and lubricating coatings on wooden floors.



## SANDING FRAME FOR RO-180

24.70265

175,04

Chassis for the hand grinding machine RO-180 (19.14870) for better handling and long-term relaxed work. The correct working angle is set with 2 height-adjustable castors.

# HANDHELD GRINDING MACHINES



## EDGE- AND STAIR SANDER ROMO-125

24.70300

1,144,24

For sanding wooden floors, parquet and cork, along the wall and on stairs. Due to the adjustable cover you can work close to the wall. Including vacuum attachment for the connection of an external industrial vacuum cleaner.

### Technical specifications:

Working power: 1530 W  
Rotation: 3400-8000 rpm stepless  
Weight: 4,7 kg  
Working width: 125 mm

Delivery with velcro sanding disc Ø 125mm for velcro sanding discs and a sanding frame with 2 height adjustable castors.

Delivery in metal carrying case.



## VELCRO SANDING DISC Ø 125mm

27.00393

24,96

For hand grinding machine RO-125 | ROMO-125 and angle grinders. Used with Velcro sanding discs 125mm.



## SANDING DISC Ø 125mm

27.00394/1

22,10

For hand grinding machine RO-125 | ROMO-125 and angle grinders. Used with sanding discs 125mm. Including nut M14



## SANDING FRAME FOR ROMO-125

24.70410

115,00

For better handling and long-term relaxed work. The correct working angle is set with 2 height-adjustable castors.

## WOOD SANDING KIT FOR ROMO-125

24.70400

139,96

Application as edge sander. Including: Velcro sanding disc Ø 125mm for velcro sanding discs and a sanding frame with 2 height adjustable castors.



## EDGE SANDER ROMO-180 junior

24.70201

1.290,00

For sanding wooden floors, parquet and cork. Including vacuum attachment for the connection of an external industrial vacuum cleaner.

### Technical specifications:

Working power: 2200 W  
Rotation: 1900-7500 rpm stepless  
Weight: 6,5 kg  
Working width: 180 mm

Delivery with velcro sanding disc Ø 180mm with soft underlay. Delivery in metal carrying case.



## VELCRO SANDING DISC Ø 180mm for ROMO-180 junior

27.00944

52,90

With soft underlay. For edge sander ROMO-180 junior (24.70201) and angle grinder. For use with 180 mm Velcro sanding discs.



## SANDING FRAME FOR ROMO-180 junior

24.70260

175,04

For better handling and long-term relaxed work. The correct working angle is set with 2 height-adjustable castors.



# HANDHELD GRINDING MACHINES



## MINI SANDER

19.14970

384,84

Handy mini sander for sanding work on wooden and parquet floors in the edge area and corners, hard-to-reach places and on stairs.

Use as a tile cutter with the diamond cutting disc.

In the set incl. sanding pad 50mm and abrasives.

- 1000 watts of power
- variable speed up to 18000 rpm via belt drive guarantees high performance
- rubber pad 50mm
- dust extraction adapter
- transport bag



## FLEXIBLE RUBBER PAD 50mm

19.14972

19,80

with fastening screw



## ABRASIVE DISC Ø 50mm WITH 8mm CENTER HOLE

High quality for the professionals.  
Pack of 25 pieces.

Grit 40  
Grit 60  
Grit 80

19.14990  
19.14992  
19.14994

21,91  
21,91  
21,91



## CARBIDE CUTTER DISC 50mm

19.14974

48,58

For parquet repairs.

- Professional disc with 2 carbide teeth
- 10 mm cutting depth
- 4 mm cutting width



## DIAMOND DISC 50mm

19.14975

52,30

For cutting tiles and screed.



## GRINDING DISC FOR MINI SANDER

19.14976

48,58

Made of silicon carbide.  
Pack of 3 pieces.

# SINGLE DISC MACHINES



## SINGLE DISC MACHINE RO-2200 2.0

19.16205

2.490,00

Robust and powerful single disc sanding machine for all subfloor preparation works from sanding to the effective removal of adhesive and floor covering remainders, filler, leveling unevennesses in the subfloor as well as for cleaning and maintaining floors.

### Technical specifications:

Working power: 2200 W

Rotation: 150 rpm

Weight: 41,0 kg

Working width: 400 mm

Pre-installed for ROLL vacuum system



## SINGLE DISC MACHINE RO-1800 2.0

19.16200

2.099,00

Universal single disc machine for all subfloor works, as well as for cleaning and maintenance.

### Technical specifications:

Working power: 1800 W

Rotation: 150 rpm

Weight: 37,0 kg

Working width: 400 mm

Pre-installed for ROLL vacuum system



## ROLL DUST VACUUM SYSTEM

19.14210

629,09

Universal vacuum system, suitable for all Roll machines for absolutely dust-free work! Keeps the air 100% dust free.

The vacuum system is mounted to the preinstalled machine; the suction hose with adapter is connected to the industrial vacuum cleaner e.g. 19.15131.

All machines (RO-2200 2.0, RO-1800 2.0) are already pre-installed to connect this system. Also suitable for previous models of single disc machines – upon request.

Recommendation! We recommend keeping the vacuum system always mounted!



## ROLL DUST VACUUM SYSTEM "VELCRO"

19.14206

166,11

Version with Velcro.

Universal vacuum system, suitable for all Roll machines.

The vacuum system is mounted on the already pre-equipped machine; The suction hose incl. adapter is connected to a vacuum cleaner.

Scope of delivery: loop tape, Velcro tape, 2 connecting pieces, suction hose.

# SINGLE DISC MACHINES



## SINGLE DISC MACHINE RO-2000

19.14180

1.593,15

The RO-2000 is a powerful single disc machine for all subfloor preparation work and for cleaning and maintaining floor coverings.

### Technical specifications:

Working power: 2000 W

Rotation: 190 rpm

Weight: 40,0 kg

Working width: 400 mm

Delivery includes dust vacuum system

## LIQUID TANK

54.00541

127,93

For single disc machine RO-2000.

To be installed on the pole of the machine.  
For applying detergent etc. during work.

Till 13l capacity.



## SINGLE DISC MACHINE CLEANER II

19.14192

1.033,87

Particularly handy and easy-to-use single-disc machine.

Areas of application: for cleaning and maintaining floors.  
Also recommended for the end user!

### Technical specifications:

Working power: 750 watts, 230 volts

Rotation: 190 rpm

Weight: 25,0 kg

Working width: 330 mm

Delivery includes pad pad, brushes and liquid tank



## HOLDER "SMART"

54.00155

42,74

For single disc machines RO-1800 2.0 / RO-2200 2.0 (page 20)

For attaching the suction hose and the allen key to the handle of the machine.



## ADDITIONAL WEIGHT

53.40110

149,00

For single disc machines RO-1800 / RO-2200

Weight 5,5 kg

# DISCS FOR SINGLE DISC MACHINES



<b>ROLL DIAMOND DISC "FORGED"</b>	19.14330	1.215,64
-----------------------------------	----------	----------

Grinding disc for single disc machine with 5 freely rotating diamond discs 125mm with forged segments. For sanding cement-based substrates, filler, anhydrite, coatings and leveling out small unevenness, e.g. trowel marks.

Very aggressive grinding effect with a very long service life thanks to forged and precision-welded diamond segments.

<b>DIAMOND DISC Ø 125mm "FORGED"</b>	19.14333	151,80
--------------------------------------	----------	--------

With 6 special forged segments inductively welded.



<b>ROLL DIAMOND DISC "Z-SEGMENT FORGED"</b>	19.14338	1.367,23
---	----------	----------

Grinding disc for single disc machine with 5 freely rotating diamond discs 125mm with forged Z-segments. For sanding cement-based substrates, leveling compound, anhydrite, coatings and leveling small unevenness, e.g. trowel marks.

Very aggressive grinding effect with a very long service life thanks to forged and precision-welded Z-diamond segments.

<b>DIAMOND DISC Ø 125mm "Z-SEGMENT FORGED"</b>	19.14336	184,96
--	----------	--------

With 8 special forged Z-segments inductively welded.



<b>ROLL DIAMOND DISC</b>	19.14320	995,00
--------------------------	----------	--------

Grinding disc for single disc machine with 5 freely rotating diamond discs 125mm with double row diamond segments. For sanding cementary surfaces, leveling compound, anhydrite, coatings and smaller bumps, e.g. trowel marks.

Very aggressive grinding effect with a long service life.

<b>DIAMOND DISC Ø 125mm "TWO-ROWED"</b>	19.14321	119,00
---	----------	--------

Two-rowed, with high diamond content.

# DISCS FOR SINGLE DISC MACHINES



## TUNGSTEN CARBIDE RING DISC GRIT 14

19.17180

457,00

For universal use! For rough grinding of cement bonded surfaces, sintered surfaces.  
For grinding of paint and coatings.  
For grinding slightly uneven surfaces.  
For removing adhesive films.

Steel disc Ø 400mm, 14kg.



## TUNGSTEN CARBIDE RING DISC GRIT 10

19.17182

457,00

For rough grinding of cement bonded surfaces, sintered surfaces.  
For removing remainders of adhesive and coatings.  
For grinding slightly uneven surfaces.  
For roughening concrete surfaces.  
For removing adhesive films.

Steel disc Ø 400mm, 14kg.



## TUNGSTEN CARBIDE RING Ø 400mm

Screws and nuts included.

Grit 14

Grit 10

19.17185

249,00

19.17188

249,00



## TUNGSTEN CARBIDE DISC

For grinding spackle, screed and adhesive films. More efficient than abrasives.  
Double sided metal disc Ø 400mm.  
Used with drive disc 19.14211/12.

KG 10

KG 14

KG 24

KG 36

19.17125

109,41

19.17130

101,81

19.17135

101,81

19.17140

101,81

# DISCS FOR SINGLE DISC MACHINES



## 4-HEADED WOOD SANDING DISC

945,17

For sanding wooden floors, parquet and cork, for finish sanding and for renovating. For sanding before varnishing and sealing. 4 discs Ø 150mm run on high quality bearings, screwed on a steel disc, discs are with soft underlay for Velcro sanding paper, they turn due to rotation of the machine.

Efficient disc with high sanding removal.

Steel disc Ø 400mm, 21kg.

We recommend working with ROLL vacuum attachment for dust-free working area!



## STONE GRINDING WHEEL DISC

294,23

For grinding concrete, screed and spackle. Aggressive grinding with very smooth grinding results.

Ø 400mm, 8,5kg.

19.14309

132,31

## STONE GRINDING WHEEL Ø 400mm



## SMOOTING DISC 600mm

212,74

For smoothing wet concrete. Steel disc Ø 600mm with edges bent up slightly, 10kg.



# DISCS FOR SINGLE DISC MACHINES



## ROLL DRIVE DISC OF ALUMINUM

For abrasive discs. With exchangeable rubber covering.  
Wrench and fixation screw included.

Ø 380 mm  
Ø 400 mm

19.14211	295,00
19.14212	295,00

## RUBBER COVERING

52.00391	39,52
----------	-------

## WRENCH 12mm


52.00394	6,99
----------	------

## FIXATION SCREW M 25

52.00393	28,29
----------	-------

## HOLDER "SMART"

54.00155	42,74
----------	-------




## ABRASIVES Ø 380mm

For single disc machines, double sided, used with drive disc 19.14211.  
Premium quality for professionals. Silicium carbide on cloth/paper.  
Pack of 10 units.

Grit 16  
Grit 24  
Grit 36  
Grit 40  
Grit 60  
Grit 80  
Grit 100  
Grit 120

19.14220	95,00
19.14230	72,00
19.14235	63,00
19.14240	54,00
19.14250	52,00
19.14260	49,00
19.14270	44,00
19.14267	44,00



## ABRASIVES Ø 400mm

For single disc machines, double sided, used with drive disc 19.14211/12.  
Premium quality for professionals. Silicium carbide on cloth/paper.  
Pack of 10 units.

Grit 16  
Grit 24  
Grit 36  
Grit 40  
Grit 60  
Grit 80

19.14271	105,00
19.14272	93,00
19.14263	75,00
19.14273	62,00
19.14274	56,00
19.14275	49,00



## PAD HOLDER Ø 380mm

For Superpads and Normalpads, with exchangeable spiked plate.

19.15340	165,64
----------	--------

## SPIKED PLATE

400mm for pad holder 19.15340

52.00389	47,47
----------	-------



## SUPERPADS 20mm Ø 406mm

Used with pad holder 19.15340. From black to white decreasing hardness density.  
Pack of 5 units.

Black for rough cleaning  
Green for cleaning (thorough cleaning)  
Red for softer cleaning of sensitive floors  
Beige for waxing, polishing and sensitive cleaning  
White for polishing

19.15350	37,82
19.15360	37,82
19.15370	37,82
19.15380	37,82
19.15390	37,82

## NORMALPADS 8mm Ø 406mm

Used with pad holder 19.15340. From black to white decreasing hardness density.  
Pack of 10 units.

Black for rough cleaning  
Green for cleaning (thorough cleaning)  
Red for softer cleaning of sensitive floors  
Beige for waxing, polishing and sensitive cleaning  
White for polishing

19.15351	31,38
19.15361	31,38
19.15371	31,38
19.15381	31,38
19.15391	31,38

# ACCESSORIES FOR SINGLE DISC MACHINES



## CURRENT LIMITER WITH SOFT START

19.14925

243,12

Maintenance-free, with long lifetime.  
The tripping of the fuse and work interruption time involved is avoided!

Without jerking soft start more safety and protection of the machine is guaranteed.  
Up to 3500 W.



## INDUSTRIAL EXTENSION CABLE 10m

82.00112

142,65

3x2,5mm<sup>2</sup> incl. Schuko plug and coupling.

Features:

- VDE approved and approved
- for high mechanical loads
- with heavyduty supporting element
- VDE cable type H07RNF
- temperature range: 25 ° C to + 60 ° C
- striking color



## EXTENSION CABLE 10m

82.00118

60,37

3x2,5mm<sup>2</sup> incl. Schuko plug and coupling.



## CABLE DRUM 25m

82.00125

217,49

3x2,5mm<sup>2</sup>

Features:

- for use on construction sites according to BGI 608 and permanent outdoor use, IP 44
- extremely abrasionresistant, rollover resistant and has an extreme cut and tear resistance
- acid and oil resistant, weather and microbe resistant
- coldresistant up to 40 ° C
- 3 earthed sockets, splash-proof, with self-closing lids
- overheat protection, overheat and overload indicator
- extra sturdy tubular steel frame with exceptionally robust carrying handle with comfortable cable management
- drum body made of special plastic with reinforcing ribs



## PERSONAL PROTECTION SWITCH PRCD-S+

82.00200

319,45

Mobile protection against electrical accidents on the construction site.  
Every time it is switched on and during operation the correct connection conditions are checked fully automatically.

Including visual error message.

Safety cable IP44, 16A 250V ~ 30mA with mounted solid rubber plug + coupling



## THREE-PHASE TEST PLUG 400V / 16 A 5-PIN

82.00122

51,19

For testing and measuring the correct connection of sockets, extensions, power distributors, etc.

- connection and rotating field test device
- 16 amp / 400 V, 5pin, 6 H power
- indicator lights are very bright a
- protection class IP 44 suitable for construction site

# DISCS FOR SINGLE DISC MACHINES




## GRINDING BRUSH 400mm GREY

19.15305

307,72

For cleaning contaminated industrial floors.  
Nylon brush with abrasive grits.



## SCRUBBING BRUSH 400mm WHITE, ROUGH

19.15310

147,40

Universal cleaning brush for shops, entrances etc.  
For tiles and synthetic floor coverings.  
Polypropylene fibre 0,7mm.



## POLISHING BRUSH 400mm BROWN (UNION)

19.15330

155,00

For polishing wax, emulsions etc. to get a shiny surface.  
For cleaning synthetic floor coverings. Nature bristle.



## LIQUID TANK FOR SINGLE DISC MACHINES

53.80120

200,63

For single disc machine RO-1800 and RO-2200.

To be installed on the pole of the machine.  
For applying detergent etc. during work.

Till 12l capacity.



# PARQUET SANDING MACHINES



## PARQUET SANDING MACHINE WOODY "JUNIOR"

24.70101

8.190,00

Professional parquet sanding machine with vertical sanding – the original! High engine power and torque, necessary weight, close-to-the-edge grinding and dust-free work distinguish the parquet sanding machine WOODY.

These characteristics of the WOODY make it possible to sand or brush (structure) the plank or parquet floor from rough sanding to fine sanding with just one machine.

- for rough sanding to fine sanding with only one machine
- for multilayer- and solid parquet
- significant time savings due to less sanding in the edge area
- dust-free for your health and for the pleasure of your client
- replaces the belt sanding machine for rough sanding and a multidisc machine for fine sanding

### Technical specifications:

Working power: 2200 W, 230 V

Disc Ø: 3 x 140mm

Rotation: 680 rpm

Working width: 450 mm

Machine weight: 52 kg

Working weight: 85 kg

Included in delivery:

- 6 discs Ø 140mm for velcro sanding discs
- pad holder (use as single disc machine)
- vacuum system with suction hose and bushing
- transport wheels
- ball caster



## EDGE SANDER ROMO-180 junior

24.70201

1.290,00

For sanding wooden floors, parquet and cork. Including vacuum attachment for the connection of an external industrial vacuum cleaner.

### Technical specifications:

Working power: 2200 W

Rotation: 1900-7500 rpm stepless

Weight: 6,5 kg

Working width: 180 mm

Delivery with velcro sanding disc Ø 180mm with soft underlay.  
Delivery in metal carrying case.

## EDGE SANDER "NOVA"

24.80000

1.536,47

Lightweight and powerful parquet edge sanding machine

- Lightweight and agile
- High grinding and working speed
- Efficient dust extraction
- Easily replaceable sanding arm

### Technical specifications:

Voltage: 230 V / 50 Hz

Working power: 1150 W

Working weight: 7,9 kg

Rotation: 3.200 min<sup>-1</sup>

Disc Ø: 150 mm

Sanding arm: 130mm

## LONG SANDING ARM

24.80002

463,58

Easily replaceable sanding arm for use of the edge sanding machine Nova under radiators.

Length 330mm



# PARQUET SANDING MACHINES



## VELCRO SANDING DISCS CERAMIC Ø 140mm

Developed especially for the rough sanding with the parquet sanding machine WOODY. Pack of 30 units.

Grit 40	53.16040	81,00
Grit 50	53.16050	74,00
Grit 60	53.16060	62,00



## TUNGSTEN CARBIDE DISCS Ø 140mm

For the rough sanding with the parquet sanding machine WOODY for very hard or lubricious surfaces and greatly toothed parquet floors. Pack of 3 units.


Grit 36	53.16100	64,49
Grit 60	53.16110	64,49



## VELCRO SANDING DISCS ZIRCON Ø 140mm

For Parquet sanding machine Woody. Premium quality for professionals. Grain: Zirconia fully resin bonded. Pack of 30 units.

Grit 24	53.14024	64,00
Grit 36	53.14036	53,00
Grit 40	53.14040	48,00
Grit 60	53.14060	39,50
Grit 80	53.14080	38,00
Grit 100	53.14100	38,00



## VELCRO SANDING DISCS ALUMINUM OXID Ø 140mm

For fine grinding with the parquet sanding machine Woody. Premium quality for professionals. Pack of 30 units.

Grit 60	53.13060	32,00
Grit 80	53.13080	28,00
Grit 100	53.13100	28,00



## CERAMIC VELCRO SANDING DISCS Ø 140mm

Precision-molded ceramic abrasive grain for higher sanding performance and long service life with the parquet sanding machine WOODY/RO-800. Pack of 25 units.

KG 60	53.17060	49,00
KG 80	53.17080	49,00
KG 120	53.17120	49,00



## DIAMOND DISC Ø 140mm

For rough sanding with the parquet sanding machine Woody. Designed to remove all types of paints and oils, also with lubricating surfaces.

Grit 18	53.16142	375,00
Grit 40	53.16146	319,41
Grit 60	53.16156	319,41
Grit 100	53.16166	319,41



## PCD-DISC Ø 140mm PCD-TRAPECIUM

For parquet sanding machine Woody/RO-800. PCD milling disc with trapezoidal PCD segments and support segments for removing floor coatings, paints, all types of adhesives and sealants (such as epoxy resin, polyurethane and acrylic), as well as for milling off levelling compound.

53.16174	479,00
----------	--------



## PCD-DISC Ø 140mm R6

For parquet sanding machine Woody/RO-800. Diamond disc for grinding work on mineral surfaces. For sanding screeds and fillers, sanding loose fillers and thin, non-smearing adhesive layers.

53.16172	399,00
----------	--------



# PARQUET SANDING MACHINES



## VACUUM HOOD 115mm FOR WOODY

53.10605

177,73

For use with the planetary head.

## VACUUM HOOD 90mm FOR WOODY

53.10610

162,84

For use with the pad holder.

## VACUUM HOOD WITH SUPPORTING RING FOR WOODY

53.10621

447,74

For use with wood structuring brushes.

## PAD HOLDER Ø 430mm FOR WOODY

24.70120

218,81



## SANDING DISC Ø 140mm FOR WOODY

53.00300

56,67

With velcro

## INTERMEDIATE DISCS FOR SANDING DISC Ø 140mm

53.00315

80,82

Flexible pad to protect the sanding discs.

Pack of 15 units.

## SOFTPAD Ø 140mm FOR RO-800SA AND WOODY

53.00320

18,90

Flexible and soft intermediate disc for the parquet sander RO-800SA.

Thickness 6mm

## TURBO FIBERPAD

Ø 406mm for single disc machines

Ø 150mm with Velcro for edge sander

19.15560

58,99

19.15570

15,92

The unique Fiberpad was developed for the final sanding of parquet floors and the deep cleaning of various surfaces such as wood and stone.

For the fine sanding of parquet floors, the Fiberpad replaces the classic sanding discs with 80 and 100 grit.

## SUPERFINISHING PAD Ø 140mm

For the final sanding and finish sanding with perfect result on all wooden and parquet floors with the parquet sanding machine WOODY. Pack of 30 units.

Grit 60

53.15060

40,00

Grit 80

53.15080

38,00

Grit 100

53.15100

38,00

Grit 120

53.15120

36,00

## SUPERFINISHING PAD Ø 140mm

For structuring the surface.

Steel brush

24.70205

190,43

Nylon brush Grit 36

24.70210

114,30

Nylon brush Grit 46

24.70220

114,30

Nylon brush Grit 70


24.70230

114,30

Nylon brush Grit 120

24.70240

114,30



# PARQUET SANDING MACHINES



## PARQUET SANDING MACHINE RO-800SA

19.16550

6.490,00

The parquet sanding machine RO-800SA is a universal floor sanding machine for all sanding work from the subsurface to the parquet.

Delivery includes 4-headed sanding disc unit for direction-free sanding of wooden and parquet floors from coarse sanding to fine sanding.

Thanks to the standard mounting flange and the flexible dust extraction, all ROLL discs such as sanding discs or diamond discs can be used for surface preparation, as well as pad holders for cleaning, oiling or polishing.

If necessary, several additional weights can be mounted for more pressure.

Easy transport with the height-adjustable transport frame with large wheels and the front carrying handle.

This makes the RO-800SA parquet sanding machine a universal floor grinding machine for all surfaces.

- Coarse sanding to fine sanding on wooden and parquet floors with just one machine
- Surface preparation with ROLL sanding discs
- Dust-free with the dust extraction system when connected to a vacuum cleaner
- Easy transport with large transport wheels
- Additional weights for more pressure (option)

### Technical specifications:

Working power: 2100 watts, 230 volts, 50Hz

Output speed: 140 rpm

Working width: 400 mm

Machine weight: 50 kg

Speed of the sanding unit: 800 rpm

Sanding discs Ø: 4 x 140 mm

Weight of the sanding unit: 7 kg

Working weight: 57 kg

Included in delivery:

- 4 discs Ø 140mm for velcro sanding discs
- 4 soft pads Ø 140mm
- dust vacuum system
- transport wheels



## ADDITIONAL WEIGHT FOR RO-800SA

53.50010

280,00

Weight: 7kg

Includes mounting screws.

## ADDITIONAL WEIGHT FOR RO-800SA

53.50015

165,00

Weight: 7kg

Without mounting screws.



## VACUUM HOOD FOR RO-800SA

53.50020

250,00

Textile sleeve with brush strip for low-dust sanding of floors.




## SANDING DISC SET Ø 140mm FOR RO-800SA

53.50031

74,00

With Velcro

Set of 4 pieces



## SOFTPAD Ø 140mm FOR RO-800SA AND WOODY

53.00320

18,90

Flexible and soft intermediate disc for the parquet sander RO-800SA.

Thickness 6mm

# DUST EXTRACTION TECHNOLOGY

CONSTRUCTION VACUUM CLEANER AND DUST PRE-SEPARATOR



# CONSTRUCTION VACUUM CLEANER



## VACUUM CLEANER 2400, LONGOPAC, FILTER CLASS H

19.16950

3.990,00

Powerful industrial vacuum cleaner, 2-engined, with filter class H, incl. filter cleaning system, incl. accessories.

Longopac version: Dust removal via the Longopac system in the 20meter long endless hose offers many advantages over conventional disposal in the container:

- dust-free because the dust is sealed directly in the hose
- fast change reduces machine downtime
- higher capacity of the cleaner

The industrial vacuum cleaner 2400 has 2 individually switchable 1200 watt suction motors in a robust metal housing.

A vacuum indicator allows the continuous monitoring of the proper operation and possible filter clogging.

This industrial vacuum cleaner has a primary PTFE filter with 3,2m<sup>2</sup> filter surface and two HEPA filters with filter class H. With an effective filter cleaning system using the "Jet Pulse System", i.e. using negative pressure and compressed air pulses, the filter is cleaned effectively and thus guarantees a long service life of the filter and consistent suction performance.

### Technical specifications:

Power: 2400 Watts (2 x 1200 Watt)  
Voltage: 220-240 V / 50/60 Hz  
Filter class: hepa filter H13  
Air output: 528 m<sup>3</sup> / h  
Weight: 50kg  
Dimensions: 66x57,5x126cm

### Accessories (incl.):

Hose 50mm nominal diameter, length: 7,5m, suction tubes, floor nozzle.



## PRE-FILTER FOR VACUUM CLEANER 2400

19.16955

290,00

## H-FILTER FOR VACUUM CLEANER 2400

19.16956

210,00

Filter class H, 2 filters in the vacuum cleaner (1 per motor)



## VACUUM CLEANER 1700, LONGOPAC, FILTER CLASS H

19.16940

2.990,00

Powerful industrial vacuum cleaner, 1-engined, with filter class H, incl. filter cleaning system, incl. accessories.

Longopac version: Dust removal via the Longopac system in the 20meter long endless hose offers many advantages over conventional disposal in the container:

- dust-free because the dust is sealed directly in the hose
- fast change reduces machine downtime
- higher capacity of the cleaner

The industrial vacuum cleaner 1700 has 1 1700 watt suction motor in a robust metal housing.

A vacuum indicator allows the continuous monitoring of the proper operation and possible filter clogging.

This industrial vacuum cleaner has a primary PTFE filter with 1,5m<sup>2</sup> filter surface and two HEPA filters with filter class H. With an effective filter cleaning system using the "Jet Pulse System", i.e. using negative pressure and compressed air pulses, the filter is cleaned effectively and thus guarantees a long service life of the filter and consistent suction performance.

### Technical specifications:

Power: 1700 Watts  
Voltage: 220-240 V / 50/60 Hz  
Filter class: hepa filter H13  
Air output: 300 m<sup>3</sup> / h  
Weight: 40kg  
Dimensions: 65x42x107 cm

### Accessories (incl.):

Hose 38mm nominal diameter, length: 5m, suction tubes, floor nozzle.



## PRE-FILTER FOR VACUUM CLEANER 1700

19.16945

276,50

## H-FILTER FOR VACUUM CLEANER 2400 / 1700

19.16956

210,00

Filter class H

# CONSTRUCTION VACUUM CLEANER

## INDUSTRIAL VACUUM CLEANER 1450MF

19.15131

998,00

Professional device for industrial use. The multifilter improves the air filtration and also withstands difficult dusts (cement, gypsum, soot particles etc.). With stainless steel container and rubberized rollers.

NEW: With additional motor protection filter

- very compact
- extremely powerful
- with additional socket with automatic switch-on

### Technical specifications:

Power: 1450 W  
Airflow: 245 m³/h  
Negative pressure: 40 kPa  
Capacity: 30 l  
Weight: 13,3 kg  
Size: 45 x 45 x 76 cm  
Filter class: M

Accessories (incl.):  
Hose 38mm nominal diameter, length: 5m, suction tubes, floor nozzle.



## MULTIFILTER FOR VACUUM CLEANER 1450MF

79.40000

262,98

Filter class M

## CARTRIDGE FILTER FOR VACUUM CLEANER 1450MF

79.40005

60,75

Motor protection filter in the suction head

## FLEECE BAGS FOR VACUUM CLEANER 1450MF

19.15134

53,87

Pack of 10 units

## ADAPTER FOR FLEECE BAGS FOR 1450MF

79.40027

26,96

## INDUSTRIAL VACUUM CLEANER 2300

19.15206

1.805,86

Powerful yet quiet industrial vacuum cleaner, 2-engined, with filter class M, incl. filter cleaning system, incl. accessories.

The industrial vacuum cleaner 2300 has 2 individually switchable by-pass suction motors in a robust metal housing, isolated to reduce the loudness. Two placed at the sides handles allow easy lifting the motor head.

This industrial vacuum cleaner has a star filter with 2m² filter surface. By external filter cleaning device the filter is moved vertically is cleaned in order to guarantee a long service life of the filter and a constant suction output.

The mobile storage container can be lowered and be emptied quickly and safely. The vacuum cleaner is mounted on a robust steel frame with non-marking castor wheels and brake.

### Technical specifications:

Power: 2300 W (2 engines 230 V / 50 Hz)  
Airflow: 360 m³/h  
Negative pressure: 25 kPa  
Capacity: 45 l  
Filter surface: 20.000 cm²  
Weight: 48 kg  
Size: 53 x 60 x 120cm  
Filter class: M

Accessories (incl.):  
Hose 50mm nominal diameter, length: 5m, suction tubes, floor nozzle.



## STAR FILTER FOR INDUSTRIAL VACUUM CLEANER 2300

19.15207

279,23

Filter class M with Teflon coating

# CONSTRUCTION VACUUM CLEANER



## H-FILTER SET FOR INDUSTRIAL VACUUM CLEANER 2300

19.15217

490,69

Consisting of an intermediate boiler piece and a class H cartridge filter.



## H-FILTER FOR INDUSTRIAL VACUUM CLEANER 2300

19.15218

397,75

Class H replacement cartridge filter for H filter set for industrial vacuum cleaner 2300



## DUST BAG LONGOPAC

20 meters of endless hose, 1 piece  
20 meters of endless hose, pack of 4 pieces

19.15123

39,44

19.15123/1

139,38



## OBJECT NOZZLE WITH WHEELS 37cm

19.15057

109,04

Including brush and rubber strip  
38mm connection

## OBJECT NOZZLE WITH WHEELS 45cm

19.15044/1

109,04

Including brush and rubber strip  
38mm connection

## OBJECT NOZZLE WITH WHEELS 50cm

19.15082

180,00

Including brush and rubber strip  
50mm connection

## SET OF BRUSHES 45cm FOR OBJECT NOZZLE

83.00900

23,10

## SET OF RUBBER STRIPS 45cm FOR OBJECT NOZZLE

83.00950

23,10

## SUCTION HOSE KIT Ø 50mm, LENGTH 5m

19.15036

153,94

To optimize the suction power on the grinding machine RO-250 / RO-300 / RO-400 in connection with 2-motor vacuum cleaner.



## CONE ADAPTER

86.00059

26,57

For connecting different suction sleeves  
Connection with 4 conical steps: 27mm, 32mm, 35mm, 37mm



## REDUCING CONNECTOR 52,2mm - 38,2mm

83.02023

16,88

For connecting the standard 38mm suction pipe to the 50mm hose.



## Y-CONNECTION FOR 38mm HOSE

19.15039

49,96

Including connector and hose.  
To connect two industrial vacuum cleaners to the machine or dust separator.



# CONSTRUCTION VACUUM CLEANER



## ROLL DUST SEPARATOR

19.15032

535,52

Maximize the efficiency of your industrial vacuum cleaner!

The ROLL dust separator captures up to 99% of the dust before it reaches your vacuum cleaner, no filter clogging and no loss of suction. Thus, the durability of the filter and the vacuum cleaner is substantially increased. Easy to use, effective in the result.

- protects the vacuum cleaner filter
- no loss of suction
- no clogging of the filter
- easy to empty
- 5 castor wheels design prevents tilting of the dust separator
- steel tank with inner coating

Delivered with cyclone, 45l steel tank, wheeled base, connectors and hose, dust bag.

## DUST BAGS FOR DUST SEPARATOR

80.10055

14,01

Pack of 10 pieces.  
Made of LDPE, real 140my. 610x800mm.

## STEEL TANK 45L

80.10040

114,01

For replacement with a larger volume of dust.

## ROLL DUST SEPARATOR - ANTISTATIC

19.15034

733,56

Antistatic version. Delivered with antistatic cyclone, 45l steel tank, wheeled base with antistatic tape, antistatic suction hoses 2x5m and connectors.

The ROLL dust separator captures up to 99% of the dust before it reaches your vacuum cleaner, no filter clogging and no loss of suction. Thus, the durability of the filter and the vacuum cleaner is substantially increased. Easy to use, effective in the result.

- protects the vacuum cleaner filter
- no loss of suction
- no clogging of the filter
- easy to empty
- 5 castor wheels design prevents tilting of the dust separator
- steel tank with inner coating



## ROLL DUST SEPARATOR - LONGOPAC

19.15033

929,00

Longopac version of the popular ROLL dust separator.  
Designed to absorb large quantities of grinding and milling material.

Dust removal via the Longopac system in the 20 meter long endless hose offers many advantages over conventional disposal in the container:

- dust-free because the dust is sealed directly in the hose
- fast change reduces machine down-time
- higher capacity of the cleaner

Delivered with cyclone, wheeled base, connectors, hose and 20m dust bag.

## DUST BAG LONGOPAC

19.15123  
19.15123/1

39,44  
139,38

20 meters of endless hose, 1 piece  
20 meters of endless hose, pack of 4 pieces



# CONSTRUCTION VACUUM CLEANER



## AIR CLEANER 1800

19.15235

1.980,21

The air cleaner 1800 generates negative pressure in the room and absorbs the dust particles in the air, thus a lowdust renovation is guaranteed. Dust can no longer spread into the adjoining rooms and thus reduces cleaning work after the renovation.

The use of the air cleaner 1800 stands for professional appearance and adds value for your customer. The air cleaner 1800 can be set up quickly and easily. The air cleaner 1800 has two filter technology with a prefilter G4 and a HEPA filter.

Special features:

- compact and powerful
- filters up to 99.995% from the room air
- maximum air output 1800 m<sup>3</sup> / h
- adjustable fan motor
- quiet operation
- ergonomic handle

### Technical specifications:

Power: 420 watts, 230 volts

Air volume: 1800 m<sup>3</sup> / h

Prefilter area: 0.5 m<sup>2</sup>

Microfilter area: 5.0 m<sup>2</sup>

Filter class: M (H optionally available)

Outlet Ø: 300 mm

Inlet Ø: 165 mm

Dimensions: 40 x 40 x 40 cm

Weight: 20.0 kg



## MICROFILTER "H" FOR AIR CLEANER 1800

79.00200

270,00

5,0 m<sup>2</sup> filter surface

## PRE-FILTER "G4" FOR AIR CLEANER 1800

79.00201

23,67

0,5 m<sup>2</sup> filter surface



## FLEXIBLE PVC SPIRAL HOSE Ø 254mm, 5m

79.00210

134,70

for air cleaner

## EXHAUST HOSE Ø 175mm, 3m

79.00215

121,86

for air cleaner



# SCRAPERS AND GRINDING STONES



## FLOORING SCRAPER WITH TELESCOPIC HANDLE

15.12655

57,90

Robust model. Telescopic handle included.  
Length from 97 to 175cm. Blade width 210mm.  
Slightly inclined scraper head for more aggressive work.

## SPARE BLADES FOR FLOORING SCRAPER

15.12657

23,02

210mm, Pack of 10 units



## SCRAPER ALLWAY LONG 500mm

15.12645

23,77

Blade width 100mm.  
With one single turn the blade can be fixed or loosen.



## SCRAPER 250mm

15.12641

21,44

Blade width 100mm.  
Scraper for universal use.  
With hammer end.



## JERKING SCRAPER 80mm

15.13328

19,95

With thick blade, beveled. With hammer end.

## JERKING SCRAPER 70mm

15.13330

4,73

Sharpened blade.



## TUGNSTEN CARBIDE GRINDING BLOCK 200mm

Due to side edge very effective alongside walls.  
Size: 195x125x25mm.

Grit 24  
Grit 36

19.13485

56,10

19.13486

56,10



## HAND GRINDING STONE "FLASH" 200mm

Made of silicium carbide, due to holes very aggressive.  
Size: 200x100x35mm

Grit 36

19.13481

35,91

# LINOLEUM AND PVC INSTALLATION TOOLS



## LINO STRIP CUTTER VARIO 110

15.12421

246,18

Professional tool for cutting stripes of lino, PVC, CV and rubber floors, from 0 till 110mm. Can also be used as an edge trimmer. Stepless adjustment of the cutting width. Ergonomic design.

With the unique ROLL-3-blades-system – due to the slightly inclined blades floors can be cut very easily.

Convertible to cutting bar till 355mm!

## LINO STRIP CUTTER VARIO 355

15.12425

350,20

Compare Vario 110. For cutting stripes from 0 till 355mm.

## CUTTING BAR 110MM

15.12428

134,82

For lino strip cutter Vario 355, for stripes till 110mm. Works with ROLL-3-blades-system.

## CUTTING BAR 355MM

15.12424

167,02

For lino strip cutter Vario 110, for stripes till 355mm. Works with ROLL-3-blades-system.

## BLADES FOR STRIP CUTTER VARIO

15.12423

42,55

for lino strip cutter Vario 110 and 355.  
Pack of 20 blades

## EDGE TRIMMER ROLLINO 12mm

15.12434

61,54

For cutting production edges. Easy cutting due to the special position of the blades. Ergonomic design. Blade changing and blade adjustment easy and fast.

## EDGE TRIMMER ROLLINO 22mm

15.12436

72,54

For cutting production edges with a wider cut of 22mm. Easy cutting due to the special position of the blades. Ergonomic design.

## BLADES FOR EDGE TRIMMER ROLLINO

15.12435

14,08

For Edge Trimmer 15.12434 und 15.12436.  
Pack of 10 units.

## EDGE-BEVEL CUTTER

15.12448

34,30

To clean and bevel the cut edge when laying LVT Design Flooring planks or tiles. This ensures that the planks are assembled precisely.

With ergonomic handle design and rotating blade. Blade change without tools.

## LEISTER HAND GROOVER GROOVY

16.13940

216,96

To prepare grooves without grooving machine. Including grooving blade 3,5mm. With guide rollers and adjustable groove depth.

## GROOVING BLADE FOR HAND GROOVER GROOVY

3,5 mm  
2,5 mm

16.13941

57,73

16.13942

67,98

## HAND GROOVER EASY

16.13946

239,81

Hand groover Easy for grooving the welding groove before welding elastic floor coverings. Ergonomic, quick and precise with side support rollers, front guide nose and rear guide roller. Depth-adjustable blade 3,5 mm at the front and back for the perfect cut right up to the wall.

## BLADE FOR HAND GROOVER EASY

3,5 mm front  
2,5 mm rear

16.13947

32,37

16.13948

29,65

# LINOLEUM AND PVC INSTALLATION TOOLS



## FLOOR SCRIBER

16.14060

48,89

Combined tool, can also be used as a short scriber for base boards.  
Pointed blade and needle included.

## POINTED BLADE FOR FLOOR SCRIBER

16.14061

21,54

Pack of 5 units

## NEEDLE FOR FLOOR SCRIBER

16.14062

2,90

Pack of 10 units



## HEIGHT SCRIBER

16.14051

83,30

To mark a fix height e.g. for base boards, from 10 to 150mm.  
Robust model. Pencil included.  
Delivery in a convenient box.




## SCRIBER 385mm

16.14067

101,34

With needle (for walls)



## CORNER KNIFE

16.13984

18,37

Exchangeable special blade for individual applications.  
(comes without blade)

Blade No. 1, Pack of 2 units  
Blade No. 2, Pack of 2 units  
Blade No. 3, Pack of 2 units  
Blade No. 4, Pack of 2 units

16.13988

8,49

16.13986

8,49

16.13987

8,49

16.13985

8,49



## HAND GROOVER

16.13950

22,39

With 5 blades

## BLADES FOR HAND GROOVER

16.13960

10,92

Pack of 10 units



## HAND GROOVER FOR SAFETY FLOORS

16.13981

43,11

## BLADES FOR HAND GROOVER FOR SAFETY FLOORS

16.13982

11,42



## HAND GROOVER FOR RUBBER AND PVC

16.13970

27,92

With U-blade

## BLADES FOR HAND GROOVER FOR RUBBER AND PVC

16.13980

15,88

Pack of 10 units



## TRIANGLE CARBIDE SCRAPER

16.13968

44,63

Hand groover for safety floors. Carbide blade included.

## BLADE FOR TRIANGLE CARBIDE SCRAPER

16.13969

15,88

# LINOLEUM AND PVC INSTALLATION TOOLS



## LINOCUTTER ROLLlINO

15.12639

263,47

Professional seam cutter for lino, PVC and vinyl (LVT).

Overlying lines of lino can be slit and cut exactly in the right position of the underlaying material.

Advantages:

- robust baseplate runs on bearings and thus the Linocutter ROLLlino slides easily on top of the floor – important for sensitive design floor coverings and PU-coated floor coverings
- blades are slightly bent which ensures effortless scribing/cutting
- stepless adjustment of cutting width and cutting depth
- due to the cut-out in the baseplate the Linocutter ROLLlino can be lead easy at the edge of the floor
- Linocutter ROLLlino works with customary trapezium or hook blades
- besides trapezium blades also hooked blades can be added:  
special advantage: thin floor coverings can be cut in one step
- blade changing without extra tools



## GROOVING MACHINE EASY 5000

16.13670

1.106,41


For grooving all kinds of synthetic floors, lino and rubber.  
Very handy machine which follows uneven floors easily and guarantees professional grooving results.

With stepless adjustment of grooving depth. Side wheel adjustable for coverings with nubs. With vacuum system to connect vacuum cleaners for chip free work.

Delivery in metal carrying case including carbide blade, chip bag and holding bar.

### Technical specification:

Power: 830 W, 230 V  
Rotation: 5000 rpm  
Weight: 4,5 kg  
Carbide blade: 130mm, 12 teeth  
Cutting depth: 0-5,0 mm stepless



## CARBIDE BLADE FOR GROOVING MACHINE EASY 5000

16.13680

207,22

130 x 3,2 mm, 12 teeth trapezium

## DIAMOND BLADE FOR GROOVING MACHINE EASY 5000

16.13690

281,22

130 x 3,3 mm, for safety floors

# LINOLEUM AND PVC INSTALLATION TOOLS



## LEISTER WELDING MACHINE UNIFLOOR 500

16.13891

4.599,00

Leister's reliable automatic floor welder, UNIFLOOR 500, is a fresh and reimagined version of the proven UNIFLOOR E/S models. It is suitable for welding the joints in resilient floor coverings made of plastic such as PVC, CV, PUR, antistatic ESD floors, as well as for sealing the joints in natural coverings made of linoleum and rubber.

- automatic nozzle rotation device
- welding rod pressure roller can be raised and locked
- integrated side cutter

### Technical specifications:

Power: 2300 W, 230 V , 50/60Hz  
 Temperature: 100-560° C stepless  
 Air flow range: 45-100%  
 Speed: 0,7-7,5 m/min  
 Nozzle air slide [mm]: small, 1,6  
 Size (LxBxH): 562 x 289 x 440mm  
 Weight: approx. 15,5kg



## WELDING MOBILE

16.13795

142,30

Professional tool to make an easier job with hand hot air tools i.e. set of welding mobile and hot air tool works similar to a welding machine.

For welding PVC, rubber, lino and polyolefins. For short lanes as well as large areas. Due to the rubber clip (quick-fastener) all customary hot air tools (Leister Triac, Forsthoof, Steinel) can be fixed fast and easily.

Due to front and back rollers the system can lead stabilised in the grooved seam. Working angle adjustable.

For cooling the hot air tool, just tilt system backwards.  
 (Delivery without hot air tool)



## LEISTER HOT AIR TOOL TRIAC ST

16.13796

447,69

The successor to the legendary Leister Triac S is characterized as its predecessor through handling, reliability and versatility.

For welding PVC, rubber, polyolefins and lino floors.  
 Ideal to use with Welding car 16.13795.  
 Incl. Round nozzle 16.13830. Delivery in carrying case.

### Technical specifications:

Power: 1600 W, 220 V  
 Temperature: 40-700 °C, stepless



## LEISTER HOT AIR TOOL TRIAC AT

16.13794

588,80

The TRIAC AT is an intelligent hot-air hand tool for welding and shrinking plastics that is suitable for on-site use. With large digital display and intelligent «eDrive» operating unit.

Special features:

- the set temperature levels off automatically, voltage fluctuations are compensated
- the thermowell in front of the heating element guarantees precise temperature
- the air volume can be adjusted independently of the temperature

Incl. Round nozzle 16.13830. Delivery in carrying case.

### Technical specifications:

Power: 1600 W, 220 V  
 Temperature: 40-700 °C, stepless  
 Air flow: 120-240 l/min



## LEISTER MINIFLOOR - DRIVE UNIT

16.13885

1.635,55

The MINIFLOOR is the only automatic welder in the world that offers the possibility to connect a hot-air hand tool e.g. Triac ST or Triac AT in the simplest manner. The sophisticated technology of the drive unit and the drive-sensors enable welding directly from the wall. The 51mm minimum distance from the wall, ensures trouble-free welding around construction pipes and L-skirts. Weighing in at 6,6 kg including a TRIAC AT and nozzle the MINIFLOOR is a lightweight solution among comparable welders and is easily transportable. Perfect directional stability thanks to double-axis drive.

### Technical specifications:

Power drive unit: 15 W  
 Voltage / Frequency: 230 V , 50/60Hz  
 Speed: 0,5-5,0 m/min  
 Dimensions drive unit (LxWxH): 310 x 225 x 245mm  
 Weight drive unit: 5,3 kg

# LINOLEUM AND PVC INSTALLATION TOOLS



<b>HOT AIR WELDING CASE TRIAC ST</b>	16.13797	539,09
--------------------------------------	----------	--------

- In delivery included:
- Leister hot air tool Triac ST (16.13796)
  - Hand groover (16.13950)
  - Speed welding nozzle (16.13860)
  - Quarter moon knife (16.14040)
  - Trim guide (16.14050)
  - Round nozzle (16.13830)
  - Diamond knife sharpener 150x60mm (16.13865)

<b>HOT AIR WELDING CASE TRIAC AT</b>	16.13798	684,07
--------------------------------------	----------	--------

See 16.13797 but with Leister hot-air welding tool Triac AT with digital display



<b>ROUND NOZZLE (TIP)</b>	16.13830	41,44
---------------------------	----------	-------

For welding with speed welding nozzles.

<b>ROUND NOZZLE (TIP) FOR RADIATORS</b>	16.13785	48,89
---	----------	-------

For welding under radiators. In conjunction with speed welding nozzles.



<b>SPEED WELDIGN NOZZLE</b>	16.13860	39,38
-----------------------------	----------	-------

5mm: for 4mm welding wire.



<b>SPEED WELDIGN NOZZLE 5/2mm</b>	16.13856	56,64
-----------------------------------	----------	-------

For welding sensitive PVC-floor coverings, thinner wall coverings. With narrowed slot (2mm) to concentrate the heat stream straight into the center of the seam.



<b>SPEED WELDIGN NOZZLE 5/1mm</b>	16.13855	56,64
-----------------------------------	----------	-------

Polyurethan nozzle – For welding sensitive PVC-floor coverings, thinner wall coverings. With narrowed slot (1mm) to concentrate the heat stream straight into the center of the seam.



<b>SWAN NECK NOZZLE</b>	16.13783	33,71
-------------------------	----------	-------

attachable to universal adapter for pressing the seam in curves and corners.



<b>BRUSH FOR NOZZLES</b>	16.13872	7,03
--------------------------	----------	------

Made of brass to clean welding nozzles.  
Size: 300x100x5mm

# LINOLEUM AND PVC INSTALLATION TOOLS



## MOZART TRIMMING KNIFE

16.14025

53,87

Safe and fast tool for trimming the welding wire.  
With integrated pre-cut slide, exchangeable blade. 1 blade included.

## BLADES FOR MOZART TRIMMING KNIFE

16.14026

17,28

Pack of 5 units

## DISTANCE FORK 0,5 FOR MOZART TRIMMING KNIFE

16.14027

5,91

For PVC

## DISTANCE FORK 0,7 FOR MOZART TRIMMING KNIFE

16.14028

5,91

For Linoleum



## QUARTER MOON KNIFE

16.14040

28,04

For trimming welding wire. Both sides sharpened.



## QUARTER MOON KNIFE, ANGLED

16.14041

32,74

For trimming welding wire. One side sharpened.



## LEATHER CASE FOR QUARTER MOON KNIFE

16.14042

10,08



## TRIM GUIDE

16.14050

6,92

For quarter moon knife



## DIAMOND KNIFE SHARPENER

16.13865

53,18

Double sided grit 400 and grit 600, size 150x60mm.  
To sharpen knives e.g. quarter moon knife.  
Comes in a box with non-slip underlay.



## ERASER

16.13861

22,95

80x50x20mm. Recommended for removing slightly burned or shining stains.  
For grinding, polishing, matting or cleaning metal, paint, wood, ceramic  
and plastic materials.



## HOLLOW PUNCH

for repair of floor coverings

Ø 30mm  
Ø 40mm

15.12675

45,99

15.12676

68,94

# LINOLEUM AND PVC INSTALLATION TOOLS



## LINO ROLLER

Pressure rollers, zinced

4parts, 50kg, width 500mm  
3parts, 34kg, width 370mm

15.13620  
15.13630

463,08  
401,23

## TRANSPORT CARDLE FOR LINO ROLLER

15.13635

104,17

Suitable for 50kg and 34 kg lino rollers.

With elastic wheels.



## PRESSURE ROLLER RO-26

16.14030

176,13

With 26 ball bearings for comfortable and firm pressing the seam when laying LVT vinyl design flooring, linoleum and PVC, carpet etc.

Through the patented design an optimized force distribution is reached, the seam can be pressed bubble-free up into the edge area.

Working width 130mm with a total of 26 ball bearings.



## PRESSURE ROLLER WITH SOLID HANDLE

16.14033

100,80

To press the seam when laying elastic floor coverings and press down the groove on click coverings.

With 2 rolls 40mm wide.  
Length 195mm.



## PRESSURE CORK

15.13510

7,19

300 x 120 x 25 mm



## PRESSURE HAMMER

15.12840

22,95

Made of one piece, forged, with polished claw hammer



## BROOM WITH HORSE HAIR 60cm

15.14360

22,10

without handle



## BROOM WITH SYNTHETIC HAIR (ARENGA) 60cm

15.14361

13,27

without handle

## STEEL HANDLE FOR BROOM AND SPREADING KNIVES

15.14364

21,03



# LINOLEUM AND PVC INSTALLATION TOOLS



## COLD WELDING LIQUID 1 LITRE

16.14100

41,72

Premium cold welding liquid for cold welding PVC and CV.  
Recommended by all well-known manufacturers.  
In conjunction with Working tool 1 or 2, for 300 – 400m seam.



## WORKING TOOL WITH NOZZLE 1 (A)

16.14090

28,75

For cold welding liquid, for new, tightly cut seam (<1mm).  
Bottle with thin needle nozzle.



## WORKING TOOL WITH NOZZLE 2 (C)

16.14120

27,36

For cold welding liquid or repair paste, for old, badly cut seams,  
shrinkings and PVC base weldings (>1mm).  
Bottle with round nozzle to pour liquid in it.



## WORKING TOOL WITH NOZZLE 2 (C) SPEZIAL

16.14150

27,36

For repair paste, for PVC wall coverings.  
Bottle with slotted nozzle (extra wide nozzle).



## REPAIR PASTE 1 LITRE

16.14130

57,46

Used with working tools 16.14120 or 16.14150, for 200m seam.



## CLEANING BOTTLE

16.14160

10,08

Includes cleaning liquid for cleaning and storing used nozzles.



## PVC-PASTE REMOVER 1 LITRE

16.14170

31,64

For cleaning and matt finishing of dirty and shiny seams.



## COLD WELDING LIQUID IN TUBES

Premium cold welding liquid for cold welding PVC and CV. Recommended  
by all well-known manufacturers. Tube of 50g for approx. 25m seam.

## TUBE WITH NOZZLE 1 FOR NEW SEAMS <1mm

16.14180

10,08

Per unit

## TUBE WITH NOZZLE 2 FOR OLD SEAMS >1mm

16.14190

10,08

Per unit



# CARPET INSTALLATION TOOLS



<b>KNEE KICKER DE LUXE</b>	13.11490	172,68
----------------------------	----------	--------

For carpet stretching.  
Adjustable length and pin depth.



<b>KOMBI STRETCHER (MINISTRETCHER)</b>	13.11630	971,43
--	----------	--------

For carpet stretching. 2 heads with pins, with ratched handle and repair head. Delivery in a box.



<b>HEAT BOND IRON 230 Volt</b>	13.11720	220,48
--------------------------------	----------	--------

With teflon-coated base.



<b>SUPER-GOLDEN SEAMING TAPE 60g</b>	14.11730	87,29
--------------------------------------	----------	-------

For woven carpets, jute materials and synthetic back or very rough back.

Roll of 50m




<b>STRIP CUTTER</b>	15.12420	77,49
---------------------	----------	-------

For cutting carpets, for base boards.  
Adjustable from 45 – 100mm.

<b>BLADES FOR STRIP CUTTER</b>	15.12560	24,66
--------------------------------	----------	-------

Pack of 100 units

# CARPET INSTALLATION TOOLS



## CARPET SEAM SQUEEZER

13.11650

19,06

For clamping together the carpet head seams.



## MOULDING LIFTER 250mm

15.12280

12,99



## STAIR TOOL 90mm

15.12290

21,49



## CARPET SEAM ROLLER 127mm

15.11661

26,25

With stars.



## PILE BRUSH

15.11660

9,81

For seam treatment by tapping movements during fabrication.  
Dimensions: 18x5x4cm



## CARPET AWL

15.12300

12,71

Carpet awl - row finder



## CARPET CLAMP DE LUXE

17.14630

44,20

A Must-have, additional to our stripper machines!  
Ergonomic design, made of a special aluminum-alloy.

# PARQUET AND LAMINATE INSTALLATION TOOLS



## PARQUET RING 150mm

19.15714

99,00

Innovative tool for laying fully glued parquet. The parquet strips are pressed with a gentle impact movement and moved in the adhesive bed.



## PARQUET SHUNTING TOOL 55cm

19.15701

58,14

Robust model, with PE-anvil, beveled point.



## TAPPING BLOCK UNIVERSAL

19.15704

28,58

Made of Polyethylene, with 2 working edges, 300x70mm.



## TAPPING BLOCK 6mm

19.15705

35,91

Made of Polyethylene, 6mm x 400mm for laminate.



## TAPPING BLOCK 11mm

19.15706

35,91

Made of Polyethylene, 11mm x 400mm for parquet.



## TAPPING BLOCK FLAT

19.15707

33,07

Made of Polyethylene, 400mm for laminate and parquet.



## RUBBER HAMMER WHITE 800g

15.12830

12,73



## RUBBER HAMMER WHITE 1000g

15.12832

31,71

Very high-quality execution.  
Coated with white rubber.



## ENGINEERS HAMMER 500g

15.12870

16,59

TÜV/GS tested



## ENGINEERS HAMMER 300g

15.12860

12,45

TÜV/GS tested

# PARQUET AND LAMINATE INSTALLATION TOOLS



## LVT FLOORING CUTTER IS-333

24.71135

218,91

For cutting LVT and cork floorings up to 16mm thickness.

### Technical specifications:

Blade width: 330mm

Max. thickness: 16mm

Dimensions: 630x440x350mm

Cutting angle: 0-45°



## PARQUET STRIPPING BLADE

Blade of hardened steel, sharpened, with wooden handle.

40 mm

60 mm

90 mm

19.15730

7,39

19.15740

8,15

19.15750

8,85



## SCRAPER WITH HANDLE

19.15780

67,25

Universal tool with handle for higher power transmission when pulling on wooden floors.



## BLADE FOR PARQUET SCRAPER

19.15785

19.15785

40mm wide



## RUBBER SPATULA 300mm

15.13320

36,12

For pre-coating



## CLEANING TISSUES

22.12980

23,67

For cleaning hands, tools and machines.

For removing adhesives, oil, fat, wax, paint, silicon, acryl, bitumen, tar, graphite etc.

Cleaning without water and soap, without residuum.

Biodegradable.

Bucket of 72 tissues.



## LEVELING SPATULA

15.13086

23,33

Stainless, with adjustable side edge from 2–15mm.

# INSTALLATION TOOLS



## FLEX SPATULA (DOUBLE BLADE)

To apply and plane liquid materials.  
Classical straight blade, rounded edges.

200 mm  
270 mm  
350 mm

15.13098	18,92
15.13099	21,30
15.13091	25,17



## SPIKED ROLLER

With integrated splash guard.  
Without handle, suitable for telescopic handle 19.15815.

250mm x 11mm  
250mm x 31mm

15.13475	44,20
15.13469	49,74

500mm x 11mm  
500mm x 22mm  
500mm x 31mm

15.13480	66,30
15.13481	73,22
15.13483	75,99

750mm x 11mm

15.13485	109,10
----------	--------



## SPIKED ROLLER WITH STAINLESS STEEL SPIKES

With integrated splash guard.  
Without handle, suitable for telescopic handle 19.15815.

250mm x 13mm  
500mm x 13mm

15.13477	98,38
15.13484	180,60



## HOBNAILED SHOES 25mm

With 25mm nails and fastening straps.

15.13460	25,17
----------	-------

## HOBNAILED SHOES 50mm

With 50mm nails and fastening straps.

15.13462	29,56
----------	-------



## SPIKE SHOES

With approx. 20mm long nails.

Size: L suitable for shoe size up to 46  
Size: XL suitable for shoe size 46 up to 51.5

15.13463	128,00
15.13473	128,00



## SPARE NAILS FOR SPIKE SHOES

Set consisting of 32 nails (spikes), nuts, washers and assembly tool

15.13474	44,00
----------	-------



## FINISHING TROWEL

Stainless steel, size 280x135mm

15.13350	10,35
----------	-------



## FINISHING TROWEL

Blade hardened and polished.

300mm  
400mm  
500mm

15.13360	14,93
15.13370	15,80
15.13380	18,12




## FINISHING TROWEL FLAT

Blade hardened and polished.

400mm  
500mm

15.13390	16,86
15.13410	19,95

# INSTALLATION TOOLS



## PIN LEVELLER

15.13466

102,00

Professional tool for applying adhesive and leveling compounds.  
Base profile 600mm with 6 replaceable spikes.  
Applying height is adjustable from 0 to 11mm due to a stainless shim.  
(without telescopic handle)

## REPLACEMENT PINS UP TO 11mm

15.13457

24,69

Set of 12 spikes.



## SPREADING KNIFE FLAT

15.13451

33,84

For applying different materials, for universal use.  
With wooden frame and flat, stainless blade 600mm.  
(without telescopic handle)



## SPREADING KNIFE WITH NOTCHED INSERT R1

15.13450

43,15

For applying adhesive and leveling compounds. With wooden frame and clamp to add notched inserts 560mm.  
Delivery including: 1 unit notched insert R1 (compare 15.13295), holder for poles e.g. telescopic arm (without telescopic handle)




## SPREADING KNIFE WITH NOTCHED INSERT R2 AND 2 PINS

15.13453

57,01

Professional tool for applying adhesive and leveling compounds on big areas in ergonomical upright position. Including 1 unit notched insert R2 56cm and a stainless shim for setting different levels. Delivery including holder for poles e.g. telescopic arm (without telescopic handle)



## MOVABLE JOINT WITH TELESCOPIC HANDLE

15.13458

196,00

Innovative moveable joint for notched and spiked trowels for applying adhesive and leveling compounds. Ergonomic working in the cross and transverse.

- 180° movable stainless steel joint head
- shaft made of aluminum tube
- telescopic rod adjustable to the respective body size of the user

Suitable to spreading knife R1, R2 and pin leveller.

## MOVABLE JOINT WITH SPREADING KNIFE R2

15.13454

270,00

Movable joint including telescopic handle and spreading knife R2 article 15.13453

## MOVABLE JOINT WITHOUT TELESCOPIC HANDLE

15.13468

164,00

## TELESCOPIC HANDLE FOR MOVABLE JOINT

19.15818

59,00



## R1-NOTCHED INSERTS

15.13295

23,05

560mm 3,0x4,0x1,5mm, pack of 10 units



## R2-NOTCHED INSERTS

15.13281

23,05

560mm 5,0x4,0x2,0mm, pack of 10 units



## R3-NOTCHED INSERTS

15.13315

23,05

560mm 5,0x6,0x2,4mm, pack of 10 units



## COPPER TAPE 0,08 x 10mm SELF-ADHESIVE

19.13944

33,43

To discharge electrostatic charging.  
Roll of 50m.

# INSTALLATION TOOLS



## ADHESIVE SPATULA 180mm

Blade hardened and polished.  
Pack of 10 units

A1	15.13056	25,28
A2	15.13050	25,28
A3	15.13051	25,28
B1	15.13057	25,28
B2	15.13058	25,28
B3	15.13054	25,28
B5	15.13055	25,28
B6	15.13053	25,28
B7	15.13043	25,28
B10	15.13044	25,28
B11	15.13045	25,28
B13	15.13047	25,28
B15	15.13052	25,28
Spatula flat	15.13059	25,28



## ADHESIVE SPATULA 210mm

Blade hardened and polished.  
Pack of 10 units

A1	15.13060	31,63
A2	15.13062	31,63
A3	15.13063	31,63
B1	15.13070	31,63
B2	15.13080	31,63
B3	15.13072	31,63
B5	15.13071	31,63
B6	15.13073	31,63
B11	15.13066	31,63
B15	15.13068	31,63
Spatula flat	15.13061	31,63



## ADHESIVE SPATULA 250mm

Blade hardened and polished.  
Pack of 10 units

A1	15.13081	36,08
A2	15.13085	36,08
B1	15.13082	36,08
B2	15.13083	36,08
B3	15.13084	36,08
B13	15.13079	36,08



## INTERCHANGABLE SPATULA

Blade hardened and polished,  
to use notched inserts.  
Pack of 10 units.

180 mm	15.13090	55,56
210 mm	15.13160	58,39
280 mm	15.13230	78,76



## ALUQUICK

Ergonomic spatula to use notched inserts, made of aluminum

180 mm	15.13300	20,84
280 mm	15.13310	27,77



## THRESHOLD RULER

Adjustable 75-110cm, stainless.

15.13540	37,30
----------	-------



# INSTALLATION TOOLS

## NOTCHED INSERTS 180mm

For interchangeable spatulas and Aluquick, wear-resistant, pack of 10 units.

A1  
A2  
A3  
A4  
A5  
  
B1  
B2  
B3  
B5  
B6  
B11  
B15  
B16

15.13100	9,09
15.13140	9,09
15.13150	9,09
15.13151	9,09
15.13152	9,09
15.13110	9,09
15.13120	9,09
15.13130	9,09
15.13132	9,09
15.13134	9,09
15.13133	9,09
15.13135	9,09
15.13139	9,09

## NOTCHED INSERTS 210mm

For interchangeable spatulas and Aluquick, wear-resistant, pack of 10 units.

A1  
A2  
A3  
A4  
A5  
  
B1  
B2  
B3  
B5  
B6  
B11  
B15

15.13170	10,05
15.13210	10,05
15.13220	10,05
15.13221	10,05
15.13222	10,05
15.13180	10,05
15.13190	10,05
15.13200	10,05
15.13202	10,05
15.13204	10,05
15.13203	10,05
15.13205	10,05
15.13223	10,05
15.13224	10,05
15.13225	10,05

## NOTCHED INSERTS 280mm

For interchangeable spatulas and Aluquick, wear-resistant, pack of 10 units.

A1  
A2  
A3  
A4  
A5  
  
B1  
B2  
B3  
B5  
B6  
B11  
B15


15.13240	11,74
15.13280	11,74
15.13290	11,74
15.13291	11,74
15.13292	11,74
15.13250	11,74
15.13260	11,74
15.13270	11,74
15.13282	11,74
15.13271	11,74
15.13299	11,74
15.13284	11,74

C1  
C2  
C3  
C4

15.13296	11,74
15.13297	11,74
15.13289	11,74
15.13298	11,74

S1 (Non Statik K)  
S2 (Non Statik TL)

15.13293	11,74
15.13294	11,74



Original size

# INSTALLATION TOOLS



## ROLLER "MOHAIR"

19.15801

9,94

Professional roller cover made of Velour, 4mm pile height, 250mm wide, for 8mm bow. Delivery without bow.



## ROLLER "PACIFIC"

19.15803

12,99

Professional roller with a special polyester blend cover, 11mm pile height, 250mm wide, for 8mm bow.

Suitable for coating and sealing of soils with aqueous systems.  
Delivery without bow.



## ROLLER "INDUSTRIA"

19.15810

10,08

Professional roller with nylon cover, 12mm pile height, 250mm wide, for 8mm bow. Well suited for floor coatings.  
Delivery without bow.



## ROLLER "FOAM"

19.15811

10,08

Professional roller made of foam material, rounded on both sides, 80 mm outer diameter, 250mm wide, for 8mm bow.  
Suitable for sealing.  
Delivery without bow.



## BOW FOR ROLLER 8mm

19.15813

3,60

for 250mm roller.



## PRECOAT AND ADHESIVE ROLLER

19.15805

5,82

250mm with bow and unroll grid.  
For simple coatings, adhesive application, etc.



## TELESCOPIC HANDLE

19.15815

18,65

Adjustable till 2m. Suitable for Spiked spreading knives, spiked rollers and rolls.  
Made of aluminium, solid model.



## WIPER FOR ROLLERS

19.15808

12,34

For cleaning color and paint rollers.  
Excess liquids are stripped off the roll back into the designated container.

# MOISTURE METERS



## CCM MOISTURE MEASURING INSTRUMENT

20.14396

650,45

Calcium-Carbide-measuring-instrument for measuring moisture in screed. With shock-proof manometer. Direct reading of the CM%. Including: 20 carbide ampoules, 100g scale, beaker, hammer, lump hammer, flat chisel, steel ball set (4) and accessories. In metal carrying case.

## CCM MOISTURE MEASURING INSTRUMENT ECO

20.14398

557,91

The entry-level model for occasional measurements, very good price-performance ratio. Equipped with mechanical manometer with a maximum pressure range up to 1,6 bar and a robust precision spring scale, delivery in a robust plastic carrying case. (without picture)



## CARBIDE AMPOULES FOR CCM INSTRUMENT

Pack of 25 units  
Pack of 100 units

20.14400

49,82

20.14410

102,79

## TESTING AMPOULES FOR CCM INSTRUMENT

20.14391

36,65

10 x 1 gram



## HYDROMETTE COMPACT B

20.14610

195,00

The Hydromette Compact B is an electronic moisture indicator with a non-destructive measuring method based on the dielectric constant/high-frequency measuring principle.

With LCD display and flexible ball probe for detecting moisture in all types of building materials as well as for detecting the moisture distribution in walls, ceilings and screeds and other set building materials.

Recommended as a preliminary test device for all CCM measuring instruments!



## HYDROMETTE COMPACT B2

20.14616

375,00

The Hydromette Compact B2 is an electronic moisture indicator for a non-destructive measurement of moisture in building materials. It uses the dielectric constant measuring / high frequency principle. The ball probe can be applied flexibly and is used for the detection of moisture in all kinds of building materials. It is also suitable for checking the dispersion of moisture in walls, ceilings and floors. The Hydromette has an audible alarm, which will resound if the values exceed the limit. Limits for the building materials can be set individually. An ideal pretester for use with all "CM" devices. The device is delivered fully equipped with battery and plastic box.

Features:

- direct readings for 7 types of building materials and 2 types of insulating materials as well as tendential indication for hard and soft wood
- acoustic alarm function
- automatic calibration
- indication of the device's temperature/ambient temperature



## CAISSON MOISTURE TESTER GM-200

20.14425

180,00

For measuring moisture in concrete, plaster, cement and wood.

The measurement is carried out using a measuring ball and is therefore non-destructive. Including hold function of the last measured value.

Extremely user-friendly thanks to its compact dimensions and high display resolution. 9 measuring scales for different materials: Relative scale (%), anhydrite screed (wt%), anhydrite screed (CM%), cement screed (wt%), cement screed (CM%), concrete (wt%), gypsum plaster (wt%), hardwood (wt%), softwood (wt%).

Recommended as a preliminary test device for CCM devices to determine the wettest spot.

# MOISTURE METERS



## CAISSON MOISTURE TESTER VI-D1

20.14420

219,65

Very easy to use – switch ON – apply to the surface – read off digital result – compare with chart.

Especially for concrete and screed, as well as wood.  
Non destructive measurement. Digital LCD. Measure depth till 3cm.  
Measure sensor located at the bottom. Automatic power switch OFF.  
With battery. Soft leather carrying case included.  
Ideal pre-tester for CCM to find the moistest area.



## CAISSON MOISTURE TESTER VI-D4

20.14421

401,04

Moisture meter for concrete and screed moisture.

The meter has different scales for measuring moisture in different materials.  
The gold-plated spring electrodes measure via electrical resistance. The 2 sensor plates use dielectric properties to measure the moisture content of the soil down to a few centimeters deep. The combined result of the measurement is output via the display.  
The high-quality transfective graphics display guarantees perfect readability of the values under all lighting conditions even in bright daylight.

Recommended as a pre-tester for CCM devices to determine the wettest point.



## CAISSON THERMO-HYGROMETER LVT 15 IR

20.14426

230,40

Very easy to use - switch ON - adjust temperature or humidity measuring - lift the meter in the air - read digital result. For fast measuring of air temperature and air humidity, measuring in °C or F.

With dew point table on the rear side of the measuring instrument. Automatic power switch OFF. With battery. Soft leather carrying case included. With calibration certificate.

Temperature: from -10 till +50°C  
Humidity: from 5% to 99%  
Humidity tolerance: +/2%  
Temperature tolerance: +/0,3°C



## GANN THEROMO-HYGROMETER BL COMPACT TF-3

20.14626

216,14

The BL Compact TF 3 unit is a precise thermo hygrometer for measuring the temperature and air relative humidity in many applications (e.g. residential space, air conditioning, printing shops, warehouses, museums). The measuring sensor is exchangeable. Several of these sensors (plug-in TF stick) can be put in different places (environments). Thus, successive measurements in those places can be carried out more quickly, for long adaption times can be avoided (compared to a meter with fixed sensor).

Features:

- Handy pocket-sized moisture measuring meter for fast measurements
- Display of three values via LCD, resolution: 0.1 % or 0.1 °C
- Automatic calculation of dew point temperature
- Display of absolute air humidity in g/m<sup>3</sup>
- USB interface for transferring the measured values to a PC
- Min, Max and Hold functions for measured values
- Storage of the 5 most recent measured values
- Power supply: a 9-volt battery is included C



## KRL-MEASURING CHAMBER

20.14412

58,00

The KRL measurement method determines the moisture content of the material by determining the corresponding relative humidity above the mineral screed.

Use in conjunction with the Caisson moisture tester VI-D4 or LVT 15 IR and the climate sensor.

## CAISSON CLIMATE SENSOR CS-10

20.14413

78,00

Use in conjunction with the Caisson moisture tester VI-D4 or LVT 15 IR for determining the moisture content using the KRL measuring method.

# MEASURING INSTRUMENTS



## SURFACE HARDNESS TESTER RI-RI

16.14074

200,32

For measuring of surface bonds and strength according to „scribe fences“.  
Consists of 2 parts, punched sheet (stainless) and a special hard metal pencil.



## MEASURING WEDGE

15.12313

28,75

Aluminum 0-20mm,  
for measuring uneven subfloors.



## STEEL ANGLE

15.13520

31,64

100 x 50cm zincd



## STEEL RULER

Stainless, slightly roof-shaped,  
8cm wide, furled.

205 cm

405 cm

505 cm

15.13590

36,63

15.13600

67,41

15.13610

79,98



## T-HEAD 50cm

15.13588

29,42

For steel rulers, to adjust 90°



## TEMPLATE KIT FOR STAIR STEPS

16.14080

100,46

The 6 arms of different length are positioned and settled at the corners  
of the step. That way the dimension of the step can be transferred fast and  
exactly on to the flooring.



## LASER DISTANCE METER R40


20.14470

52,68

Including the basic functions for precise measurements: L/W/H, volume.  
Modern and compact device with high- quality display.

- all basic functions for precise measurements are available (L/W/H, volume)
- with integrated spirit level
- up to three measurements can be saved
- shockproof
- laser: 0.05 to 40m
- accuracy: +/-2mm


# ABRASIVES



## ABRASIVES Ø 380mm

For single disc machines, double sided, used with drive disc 19.14211.  
Premium quality for professionals. Silicium carbide on cloth/paper.  
Pack of 10 units.

Grit 16	19.14220	95,00
Grit 24	19.14230	72,00
Grit 36	19.14235	63,00
Grit 40	19.14240	54,00
Grit 60	19.14250	52,00
Grit 80	19.14260	49,00
Grit 100	19.14270	44,00
Grit 120	19.14267	44,00



## ABRASIVES Ø 400mm

For single disc machines, double sided, used with drive disc 19.14211/12.  
Premium quality for professionals. Silicium carbide on cloth/paper.  
Pack of 10 units.

Grit 16	19.14271	95,00
Grit 24	19.14272	72,00
Grit 36	19.14263	63,00
Grit 40	19.14273	54,00
Grit 60	19.14274	52,00
Grit 80	19.14275	49,00



## PAD HOLDER Ø 380mm

For Superpads and Normalpads, with exchangeable spiked plate.

19.15340	165,64
----------	--------

## SPIKED PLATE

400mm for pad holder 19.15340

52.00389	47,47
----------	-------



## SUPERPADS 20mm Ø 406mm

Used with pad holder 19.15340. From black to white decreasing hardness density.  
Pack of 5 units.


Black	for rough cleaning	19.15350	37,82
Green	for cleaning (thorough cleaning)	19.15360	37,82
Red	for softer cleaning of sensitive floors	19.15370	37,82
Beige	for waxing, polishing and sensitive cleaning	19.15380	37,82
White	for polishing	19.15390	37,82



## NORMALPADS 8mm Ø 406mm

Used with pad holder 19.15340. From black to white decreasing hardness density.  
Pack of 10 units.

Black	for rough cleaning	19.15351	31,38
Green	for cleaning (thorough cleaning)	19.15361	31,38
Red	for softer cleaning of sensitive floors	19.15371	31,38
Beige	for waxing, polishing and sensitive cleaning	19.15381	31,38
White	for polishing	19.15391	31,38




## SANDING NETS Ø 406mm

Used with pad holder and pad.  
Pack of 10 units

Grit 60  
Grit 80  
Grit 100  
Grit 120  
Grit 150  
Grit 180

19.15400	32,00
19.15410	32,00
19.15420	32,00
19.15430	32,00
19.15435	32,00



## SUPERFINISHING-PADS Ø 406mm


Used with pads and pad holder.  
Pack of 10 units

For the final finish of wooden floors and parquet with parquet sanding machine WOODY and all customary single disc machines.

Patented texture due to the multihole surface you get a nearly dustfree sanding, loading of the pad is reduced. With high removal performance and longer service life.

Grit 60  
Grit 80  
Grit 100  
Grit 120  
Grit 150


19.15510	93,00
19.15515	90,00
19.15520	87,00
19.15525	85,00
19.15530	85,00



## WOOL PAD Ø 410mm

Nonabrasive. Thickness 5mm.  
For the suction, or removal, excess oils & waxes.  
Pack of 10 units

19.15550	92,73
----------	-------



## TURBO FIBERPAD

Ø 406mm for single disc machines  
Ø 150mm with Velcro for edge sander


19.15560	58,99
19.15570	15,92

The unique Fiberpad was developed for the final sanding of parquet floors and the deep cleaning of various surfaces such as wood and stone.

For the fine sanding of parquet floors, the Fiberpad replaces the classic sanding discs with 80 and 100 grit.

Thanks to the open fiber structure, the fiber pad offers a very high sanding performance and excellent dust extraction while also ensuring a scratch-free finish.

# ABRASIVES




## CERAMIC-SANDING BELTS 750x200mm

Ceramic corundum for extremely high grinding performance and service life thanks to the special self-sharpening of the ceramic grain.  
Pack of 10 units.

Grit 36  
Grit 50

24.60036	170,00
24.60060	155,00



## ZIRCON-SANDING BELTS 750x200mm

Standard size, suitable for all customary belt sanders.  
Premium quality for professionals, made of heavy X-cloth with fully resin bonding.  
Grain: Zirconia, belts with waved joint.  
Pack of 10 units.

Grit 24  
Grit 36  
Grit 40  
Grit 60  
Grit 80  
Grit 100  
Grit 120

24.50024	75,00
24.50036	72,00
24.50040	63,00
24.50060	62,00
24.50080	58,00
24.50100	56,00
24.50120	54,00



## SANDING BELTS 750x200mm

Standard size, suitable for all customary belt sanders. Premium quality for professionals, made of heavy X-cloth with fully resin bonding. Grain: Aluminum Oxid, belts with waved joint. Pack of 10 units.

Grit 16  
Grit 24  
Grit 36  
Grit 40  
Grit 60  
Grit 80  
Grit 100  
Grit 120

24.00016	54,00
24.00024	49,00
24.00036	48,00
24.00040	46,00
24.00060	44,00
24.00080	44,00
24.00100	44,00
24.00120	44,00



## ZIRCON-VELCRO SANDING DISCS Ø 178mm

Zircon for significantly higher grinding performance and service life.  
Pack of 50 units.

Grit 24  
Grit 36  
Grit 40  
Grit 60  
Grit 80  
Grit 100

24.22024	141,00
24.22036	67,00
24.22040	59,00
24.22060	54,00
24.22080	47,00
24.22100	46,00



## VELCRO SANDING DISCS Ø 178mm

Premium quality for professionals. Grain: white Aluminum Oxid.  
Pack of 50 units.

Grit 16  
Grit 24  
Grit 36  
Grit 40  
Grit 60  
Grit 80  
Grit 100

24.23016	73,00
24.23024	65,00
24.23036	60,00
24.23040	52,00
24.23060	49,00
24.23080	45,00
24.23100	44,00





## CERAMIC-VELCRO SANDING DISCS Ø 150mm

Ceramic corundum for extremely high grinding performance and service life thanks to the special self-sharpening of the ceramic grain.  
Pack of 25 units.

Grit 36	24.85036	80,00
Grit 40	24.85040	76,00
Grit 50	24.85050	71,00
Grit 60	24.85060	64,00
Grit 80	24.85080	63,00



## ZIRCON-VELCRO SANDING DISCS Ø 150mm

Zircon for significantly higher grinding performance and service life.  
Pack of 50 units.


Grit 24	24.84024	90,00
Grit 36	24.84036	48,00
Grit 40	24.84040	42,50
Grit 60	24.84060	37,50
Grit 80	24.84080	34,50
Grit 100	24.84100	32,50



## VELCRO SANDING DISCS Ø 150mm

Premium quality for professionals. Grain: white Aluminum Oxid.  
Pack of 50 units.

Grit 16	24.83016	47,50
Grit 24	24.83024	42,50
Grit 36	24.83036	40,00
Grit 40	24.83040	34,50
Grit 60	24.83060	32,00
Grit 80	24.83080	30,50
Grit 100	24.83100	30,50



## VELCRO SANDING DISCS Ø 150mm 9-HOLES

8 suction holes 1 center hole. For normal orbital sander.  
Premium quality for professionals. Grain: white Aluminum Oxid.  
Pack of 50 units.

Grit 24	24.91024	42,00
Grit 36	24.91036	42,00
Grit 40	24.91040	32,00
Grit 60	24.91060	32,00
Grit 80	24.91080	32,00
Grit 100	24.91100	32,00
Grit 120	24.91120	32,00
Grit 150	24.91150	32,00




## VELCRO SANDING DISCS Ø 125mm

Premium quality for professionals. Grain: white Aluminum Oxid.  
For Edge sander ROMO-125.  
Pack of 50 units.

Grit 40	24.70540	27,33
Grit 60	24.70560	25,13
Grit 80	24.70580	24,70
Grit 120	24.70595	23,60

# ABRASIVES



## DIAMOND PADS Ø 125mm WITH VELCRO

with dense diamond structure, long service life and high flexibility.  
Can also be used with ROMO-125 resp. RO-125 in combination with wood sanding kit.  
Per unit

Grit 50	19.14605	21,99
Grit 100	19.14610	21,99
Grit 200	19.14615	21,99
Grit 400	19.14620	21,99
Grit 800	19.14625	21,99
Grit 1500	19.14630	21,99
Grit 3000	19.14635	21,99



## DIAMOND POLISHING PADS Ø 75mm WITH VELCRO

Resin diamond polishing pads for universal use for dry polishing and perfect fine sanding. Long service life due to high diamond content.

Grit 60	17.16960	40,54
Grit 120	17.16962	40,54
Grit 220	17.16964	40,54
Grit 400	17.16966	40,54
Grit 800	17.16968	40,54
Grit 1500	17.16970	40,54



## SANDING PAD

For Multimaster and Supercut, set of 2 units

19.14936	18,90
----------	-------

## SANDING PAPER

For Multimaster and Supercut (with adapter)  
Pack of 50 units, without holes

Grit 40	19.14931	22,83
Grit 60	19.14932	22,83
Grit 80	19.14933	22,83
Grit 100	19.14934	22,83
Grit 120	19.14935	22,83

## BLADES - MADE IN SOLINGEN

Premium „Solingen“ quality.  
High-alloyed tool steel 0,65mm, ice-hardened.  
Pack of 10x10 units = 100 units. 10 units in a dispenser.

Trapezium blade  
Trapezium blade, large  
Hooked blade  
Hooked blade, large

15.12450	23,27
15.12460	27,65
15.12470	42,27
15.12490	49,52

## BLADES WITH TITAN COATING

Premium „Solingen“ quality. High-alloyed tool steel 0,65mm, ice-hardened.  
With Titan-coating for a long endurance.  
Pack of 10x10 units = 100 units. 10 units in a dispenser.

Titan-Trapezium blade  
Titan-Trapezium blade, large  
Titan-Hooked blade  
Titan-Hooked blade, large

15.12455	39,30
15.12465	45,14
15.12475	64,10
15.12495	77,13

## TRAPEZIUM-HOOK BLADES

Two in one, ice-hardened  
0,65mm, premium „Solingen“ quality.  
Pack of 10x10 units = 100 units.

15.12480	74,81
----------	-------

## CONCAVE BLADES

Ice-hardened 0,65mm  
Pack of 10x10 units = 100 units.

15.12485	42,82
----------	-------

## BREAK-OFF BLADES 18mm

Ice-hardened, for cutter knives 15.12494, 15.12596  
Pack of 10x10 units = 100 units.

15.12590	28,55
----------	-------

## BREAK-OFF BLADES 18mm WITH TITAN COATING

Ice-hardened, with Titan-coating for a long endurance.  
For cutter knives 15.12494, 15.12596  
Pack of 10x10 units = 100 units.

15.12591	54,91
----------	-------

## MOZART BLADES

Premium „Solingen“ quality.  
High-alloyed tool steel 0,65mm, ice-hardened.  
Pack of 10x10 units = 100 units. 10 units in a dispenser.

MOZART trapezium blade  
MOZART hooked blade  
MOZART hooked blade, large

15.12452	32,00
15.12472	50,81
15.12491	58,12



# KNIVES



<b>ROLL FLOOR INSTALLER KNIFE WITH HOLSTER</b>	15.12548	23,62
--	----------	-------

Easy and fast blade changing without tool. Magnet included.  
Premium quality for professionals.

<b>DELPHIN-KNIFE WITH HOLSTER</b>	15.12550	28,12
-----------------------------------	----------	-------

<b>SHARK-KNIFE WITH HOLSTER</b>	15.12555	24,76
---------------------------------	----------	-------

<b>LEATHER KNIFE HOLDER FOR PROFESSIONALS</b>	22.14471	34,51
---	----------	-------

for 2 knives, incl. blade dispenser and pen holder.

<b>LEATHER KNIFE HOLDER FOR PROFESSIONALS IN SET</b>	22.14472	85,00
--	----------	-------

In set with:

- 2x ROLL installers knife
- 2x Blades dispenser each 10 blades
- 1x Pica-Dry® Longlife Automatic Pencil

<b>UNIVERSAL KNIFE MOZART S2</b>	15.12525	52,38
----------------------------------	----------	-------

Including protecting cap and blade.

- compact design and the legendary SCHILLERshape
- coated surface for extra grip
- tool-free and magnet-supported easy blade change
- transparent protective cap for safe transportation
- tough fixation of blade
- hardened blade fixture for longer life time
- cartridge for up to 10 blades

<b>ROLL CUTTER KNIFE</b>	15.12598	11,57
--------------------------	----------	-------

High-quality cutter knife with metal magazine for 18mm break-off blades.  
Incl. 6 break-off blades.

<b>CUTTER KNIFE NT</b>	15.12494	44,75
------------------------	----------	-------

Premium knife made of metal with rapid magazine.  
Incl. 3 break-off blades 15.12590.

<b>CUTTER KNIFE LIGHT</b>	15.12596	2,62
---------------------------	----------	------

Incl. break-off blade.

<b>HANDLE FOR SPECIAL BLADES</b>	15.12630	23,08
----------------------------------	----------	-------

Without blade

<b>BLADE NR. 22</b>	15.12610	38,83
---------------------	----------	-------

For handle 15.12630  
Pack of 10 units

# SCISSORS AND CUTTERS



## MITRE CUT SHEAR 6cm

15.12800

24,97

For wooden and plastic profiles. 2 x 45 degree blocks.



## MITRE CUT SHEAR LONG

15.12795

71,83

With stop faces at 45° and 75 mm length of cut.  
For wooden and plastic profiles. Suited to mitre cuts in wide materials.



## MITRE CUT SHEAR WITH TRAPEZIUM BLADE

15.12797

55,27

With stop faces at 45° and 50 mm length of cut.  
For the particularly fine and filigree cut (f.ex. linoleum).



## MITRE CUT SHEAR WITH LEVER

15.12796

109,10

Suited to right-angled cuts in hard and flat plastic items, e.g. plastic, PVC, rubber and wooden profiles. With stop faces at 90° and 75mm length of cut. Essential for floor layers, painters, carpenters, and many other trades.

It develops its power during the cutting process and develops its greatest effect at the end of the cut - where the force is strongest and the cut would cost a normal scissors great effort. With the help of leverage, the material is cut through with ease.



## UNIVERSAL-CUTTER RED

15.12400

20,58

For woven carpets with jute and double back. 10 blades included.



## BLADES FOR UNIVERSAL-CUTTER RED

15.12560

24,66

Pack of 100 units

## UNIVERSAL-CUTTER BLUE

15.12410

20,58

For carpets with foam back. 10 blades included.



## BLADES FOR UNIVERSAL-CUTTER BLUE

15.12580

32,23

Pack of 100 units

## LOOP PILE CUTTER "BLACK"

15.12441

44,47

For all textile coverings, except foam backing. Cuts from top to bottom.  
10 blades included.



## BLADES FOR LOOP PILE CUTTER "BLACK"

15.12560

24,66

Pack of 100 units

## LOOP PILE CUTTER

15.12440

73,71

With guiding rail for woven carpets.

## BLADES FOR LOOP PILE CUTTER

15.12570

78,94

Pack of 100 units

# SCISSORS



## CARPET SCISSORS 10" (25cm)

15.12690

40,05

Premium quality. Nickel blades, black varnished handle.



## CARPET SCISSORS 10" (25cm) FOR LEFT-HANDERS

15.12700

79,00

Premium quality. Nickel blades, black varnished handle.



## CARPET SCISSORS 12" (30cm)

15.12710

52,49

Premium quality. Nickel blades, black varnished handle.



## NAP SCISSORS 6" (15cm) ANGLED

15.12720

20,16

Premium quality. Nickel blades, bent, plastic coated handle.



## NAP SCISSORS 7" (18cm) ANGLED

15.12725

23,08

Premium quality. Nickel blades, bent, plastic coated handle.



## BINDING SCISSORS 8" (20cm) ANGLED

15.12715

30,39

Premium quality. Nickel blades, bent, plastic coated handle.



## UNIVERSAL SCISSORS 8" (20cm)

15.12735

20,72

Stainless. „Solingen“ quality, stainless.



## UNIVERSAL SCISSORS 10" (25cm)

15.12750

36,63

Stainless. „Solingen“ quality, stainless.



# MIXERS AND MIXING RODS



## MIXER RO-1400

15.12378

294,25

Powerful mixer with 1400 Watt and 2-speed gear unit.

Powerful motor for demanding mixing jobs with loads up to 50 kg.  
With soft start which prevents uncontrolled spraying of the mixing materials.  
With ergonomic soft handle.

### Technical specifications:

Power: 1400 Watt, 230 Volt  
Rotation 1: 150-300 rpm  
Rotation 2: 300-650 rpm  
Collet: M14  
Weight: 8,00kg  
Max. mixing quantity: 50kg  
Max. mixing tool: 140mm



## MORTAR MIXING TOOL 140mm M 14

15.12393

28,75

Universal use for heavy and highly viscose compounds  
e.g. mortar, plaster, tile adhesive, lime, concrete, cement, screed, filler, epoxy etc.  
Till 50kg.



## SPINDLE MIXING TOOL 120mm M 14

15.12399

26,25

Universal use for ductile and highly viscose compounds  
e.g. mortar, plaster, gypsum, lime, rendering, tile adhesive, filler etc.  
Till 50kg.



## STANDARD MIXING TOOL 120mm M 14

15.12396

26,25

Ideal for mixing adhesives, sealing compounds, screed,  
bitumen coatings etc.  
Till 25kg.



## 2-WINGS MIXING TOOL 120mm M 14

15.12385

24,61

Special mixing tool for liquid and thin viscose materials, adhesives,  
lacquer, paint, primer etc. Tool ensures fast and homogeneous mixing  
without uncontrolled spraying.  
Till 50kg.

# MIXERS AND MIXING RODS



## MIXER HOLDER RO-30

15.12365

213,93

New development from ROLL

Flexible and universally usable holder for attaching hand mixers to standard 30 liter mixing buckets.

- time-saving
- back-friendly
- universally adjustable for different hand mixer holders, mixer lengths and bucket diameters (35-39 cm)
- compatible with mixer RO-1400

Delivery without hand mixer and mixing bucket.



## MIXING STATION

15.12355

402,16

With this compact mixing station, up to 75 kg of product can be mixed quickly and efficiently.

Easy and safe transport thanks to the well-balanced and multi-adjustable chassis.

Dust-free mix with the optional hose holder to your vacuum cleaner.

Included in delivery:

- chassis for the mixing bucket
- 75 liters mixing bucket
- holder for the mixer



## HOSE HOLDER

15.12356

35,14

For dust-free mixing with the mixing station and your vacuum cleaner.



## TURBO MIXING TOOL M16/M14

15.12357

111,48

Specially developed for mixing large quantities of material. The turbine effect ensures that no lumps arise.

## EXTENSION FOR MIXER RO-1400


34.00550

17,98

Length 50mm, M14 internal / external thread.



# ANTI SLIPPING GRIP TAPES



## ROLL ANTI SLIPPING GRIP TAPES

Premium, self-adhesive non-slip grip tape, very durable, with excellent characteristics. It can be applied onto most surfaces to provide anti slip protection and safety standards e.g. onto stairs, entrances, ramps, public areas, boats, sanitary areas, trucks and buses.

For outdoor application we recommend to use edge sealer 14.11173.

Black	50mm x 18m
Transparent	50mm x 18m
White	50mm x 18m
Red	50mm x 18m
Green	50mm x 18m
Grey	50mm x 18m
Fluorescent	50mm x 18m (luminous)
Blue	50mm x 18m
Brown	50mm x 18m
Grey	50mm x 18m (aqua safe, quality for bare foot areas)
Neon yellow	50mm x 18m
Safety color	50mm x 18m (black/yellow)
Grey, coarse	50mm x 18m (aqua safe, quality for bare foot areas)
Transparent	50mm x 18m (aqua safe, quality for bare foot areas)

Black	14mm x 18m (aqua safe, quality for bare foot areas)
Grey	14mm x 18m (aqua safe, quality for bare foot areas)
Beige	14mm x 18m (aqua safe, quality for bare foot areas)

Black	28mm x 18m (aqua safe, quality for bare foot areas)
Grey	28mm x 18m (aqua safe, quality for bare foot areas)
Safety color	28mm x 18m (black/yellow)

14.11160	72,33
14.11161	72,33
14.11162	72,33
14.11163	72,33
14.11164	72,33
14.11165	72,33
14.11166	210,25
14.11167	72,33
14.11168	72,33
14.11169	72,33
14.11171	72,33
14.11172	72,33
14.11174	191,38
14.11175	72,33
14.11200	24,13
14.11201	24,13
14.11202	24,13
14.11205	36,82
14.11206	36,82
14.11207	36,82

Further widths and sizes upon request.

## EDGE SEALER

For anti slipping grip tape, for outdoor applications. Based on PVC, tubes of 50g.

14.11173	10,08
----------	-------

## DOUBLE-SIDED ADHESIVE TAPE 50mm x 50m

Pack of 24 rolls.

### Technical specifications:

Carrier system: special fabric  
 Pressure-sensitive adhesive: hot-melt adhesive made of synthetic rubber  
 Protective cover: silicone paper, yellow  
 Thickness (without cover): 0.22-0.24 mm  
 Peel resistance:  $\geq 30$  N / 25 mm (DIN EN 1939)\*  
 Shear resistance: 1000 g / 625 mm<sup>2</sup> (DIN EN 1943)\*  
 Recommended working temperature: +10° C to +30° C  
 Temperature resistance: 30°C to +80°C  
 Condensation resistance: very high  
 Resistance to aging: limited  
 Plasticizer resistance: limited

## ADHESIVE INJECTION

With bayonet nut connector and 2 replaceable nozzles.

15.12330	44,90
----------	-------

# ASSEMBLY ACCESSORIES



## SPRAY ADHESIVE

Universal use in aerosols, for permanent and temporary adhesion. For paper, carton, wood, thin veneers, cork, leather, textiles, felt, foam, styrofoam, rubber etc. (except PVC and polyethylene). Temperature range: from -20 to +65°C

Box of 12 cans each 500 ml  
Single can

18.12960	116,04
18.12961	11,47



## POLYMER-ASSEMBLY ADHESIVE

Ready-made 1-component adhesive, solvent-free. Very fast curing and extreme strength adhesion, easy to press. Can be ground and varnished after curing.

Suitable for all kind of building materials: base boards, door cases, wood, metal and stone, hard PVC.

Heat resistant till +110°C, water proof according to DIN EN 204 D4. Recommended for undrilled metal profiles because of flexible curing.

Box of 12 cartridges  
Single cartridge

18.12987	172,68
18.12988	16,59



## CARTRIDGE PISTOL "PROFI"

Professional pistol, for cartridges and sealing compounds in tubes.

18.12994	40,05
----------	-------



## JOINT CONNECTORS

For renovating cracks in screed. In conjunction with 2- components adhesive.

Pack of 1000 units  
Pack of 100 units

18.12952	45,15
18.12953	10,75



## 2-COMPONENTS ADHESIVE

Consists of adhesive (1000g) and hardener (30g).

For fixing grippers and for renovating cracks in screed. For all subfloors. Setting time approx. 15min.

18.12950	15,88
----------	-------



## STEEL NAILS BLANK 1,5mm

Pack of 1000 units  
TEC-steel nails

20 mm  
25 mm  
30 mm  
35 mm  
45 mm

21.12030	9,52
21.12040	10,63
21.12050	11,74
21.12060	12,56
21.12080	17,68

## STEEL NAILS ZINC PLATED 1,5mm

Pack of 1000 units  
TEC-steel nails

20 mm  
25 mm  
30 mm  
35 mm  
45 mm

21.12090	11,69
21.12100	13,34
21.12110	14,64
21.12120	16,05
21.12125	22,28

# GENERAL WORK EQUIPMENT



## LEATHER KNEE PADS

15.11707

63,52

Knee pads with a robust synthetic leather surface and soft neoprene padding. Very comfortable because the wide strap which is fixed below the hollow of the knee. Dimensions: 22 x 18 x 7cm



## FENTO ORIGINAL KNEE PADS

15.11731

105,00

Only 250 grams light and particularly stable knee pads with an optimal fit. With an ergonomic insert for the correct distribution of pressure over the shinbone, which prevents knee and back problems. The wide elastic straps ensure that there is no pressure in the hollow of the knee.

## REPLACEMENT STRAPS FOR FENTO KNEE PADS

15.11732

16,00

## REPLACEMENT CUSHION FOR FENTO KNEE PADS

15.11733

42,00



## KNEE PADS "ERGO"

15.11720

34,55

EN 14404 certified

## REPLACEMENT STRAPS FOR KNEE PADS "ERGO"

15.11721

4,19



## KNEE PADS "WOHLPRO"

15.11678

98,38

Medical knee pad, recommended from professional organisation.

## REPLACEMENT STRAPS FOR KNEE PADS "WOHLPRO"

15.11679

35,23



## POCKETABLE KNEE PADS

15.11715

13,18

For dungarees. Premium quality of cellular rubber. Very durable and elastic. Due to the cuttings it is very comfortable to use. Per pad 75g, dimensions: 22,5 x 16 x 12mm Paired.



## DUST MASK WITH COMFORT NOSE SEAL FFP2

22.12966

20,43

Classic model with ActivForm®, DuraMesh®-structure and comfort nose seal. The ActivForm® seal automatically adjusts to different face types and their movements. Due to DuraMesh®-structure these masks are strong and durable, reducing consumption. With additional comfort nose seal for comfortable breathing (air keeps cooler). According to EN149:2001, FFP2 NR D: against toxic dusts, mists and fumes based on water and oil. Pack of 3 units



## DUST MASK WITH COMFORT NOSE SEAL FFP3

22.12967

16,16

Mask with ActivForm®, DuraMesh®-structure and comfort nose seal. The ActivForm® seal automatically adjusts to different face types and their movements. Due to DuraMesh®-structure these masks are strong and durable, reducing consumption. With additional comfort nose seal for comfortable breathing (air keeps cooler) and washable, contoured full face seal. According to: EN149:2001, FFP3 R D: against all dusts, mists and fumes based on water and oil. Packed per unit



## DUST MASK FFP2

22.12968

7,53

- Tested and CE certified according to EN 149: 2001 + A1: 2009
  - Special ultra-light design for maximum comfort
  - Flexible and ergonomic
  - Separately packaged
  - Filtration of droplets when inhaled
  - This product meets the requirements of the PPE regulation (EU) 2016/425
  - Suitable for internal and external protection
- Pack of 10 units

# FLOOR PROTECTION MATS

## ROLL POLYCARBONATE CHAIRMATS

ROLL chairmats are of Polycarbonate and protect all kinds of floor coverings.  
 Features: odourless and totally emission-free, free of PVC or vinyl, 100 % recyclable, UV-stabilized, ideal for allergy sufferer, extremely strong, suitable for floor heating system, recommended for chair castors.



## ROLL POLYCARBONATE CHAIRMATS SMOOTH

With non-slip coating at the bottom. For parquet, PVC, lino and all smooth surfaces, also thin carpets.  
 100% Polycarbonate without recycling. Thickness 2mm.


925x1200 mm	12.11450	80,69
1000x1200 mm	12.11451	84,98
1500x1200 mm	12.11453	115,77
2000x1200 mm	12.11455	145,06
3000x1200 mm	12.11456	206,65
Round Ø 1000 mm	12.11457	112,88



## ROLL POLYCARBONATE CHAIRMATS WITH SPIKES

For carpets. 100% Polycarbonate without recycling. Thickness 2,75mm.

930x1200 mm	12.11500	101,11
1000x1200 mm	12.11505	108,45
1500x1200 mm	12.11515	150,98
2000x1200 mm	12.11525	200,58
3000x1200 mm	12.11530	286,98



All sizes are available with cut-out, alongside or broadside.  
 Within sizes 3000x1200mm every form is available according to drawing.

## CUT-OUT PER CHAIRMAT

Special measurements (on estimate) and shapes on request!

10.00004	12,36
----------	-------

## NOTES

# INDEX OF KEYWORDS

A				H				S			
Abrasives for parquet machines	30	62	63	Hammer	50			Sanding net	61		
Abrasives for single disc machines	25	60		Hand groover	40	41		Scissors	68		
Adhesive	72			Handheld grinding machines	16			Scraper	39		
Adhesive injection	71			Hardness tester	59			Seam roller	49		
Adhesive spatula	54			Height scriber	41			Seam squeezer	49		
Adhesive tape	71			Hobnailed shoes	52			Seaming tape	48		
Air cleaner	38			Hollow punch	45			Self-propelled stripper	5	-	8
Aluquick	54			Hook blades	65			Single disc machines	20	21	
Anti slipping rip tapes	71			Hydromette	57			Smoothing disc for single disc machines	24		
Assembly adhesive	72							Spike shoes	52		
B				I				Spiked roller	52		
Blade for grooving machine	42			Industrial vacuum cleaner	34	-	36	Spray adhesive	72		
Blades	65			Installer knife	66			Spreading knife	53		
Blades for stripper machines	3	-	10	Interchangeable spatula	54			Stair sander	16		
Break-off blades	65							Stair tool	49		
Broom	46			J				Stairclimber	9		
Brushes for single disc machines	27			Joint connectors	72			Steel angle	59		
Bullystripper	10							Steel nails	72		
C				K				Steel ruler	59		
Cable drum	26			Knee kicker	48			Stone disc for single disc machine	24		
Caisson moisture meters	57	58		Knee pads	73			Strip cutter	40		
Carbide discs for single disc machines	23			Knife holder	66			Stripper machines	3	-	10
Cargomaster	9			Knives	66			Stripper tools	3	-	10
Carpet awl	49			KRL-measuring instrument	58			Stripping blade	51		
Carpet clamp	10							Superfinishing pads	61		
Carpet cutters	67			L							
Carpet installation tools	48			Laser distance meter	59			T			
Carpet stretcher	48			Leather knife holder	66			Tank for single disc machines	27		
Cartridge pistol	72			Leister tools	43	44		Tapping block	50		
CCM moisture meters	57			Leveling spatula	51			Template kit for stairs	59		
Charimats	74			Lino roller	46			Thermo-hygrometer	58		
Cleaning pads for single disc machines	25			Linocutter	42			Trapezium blades	65		
Cleaning tissues	51			Linoleum installation tools	40			Triac	43		
Cold welding liquid	47			Longopac dust separator	37			Trimming knives	45		
Construction vacuum cleaner	34	-	36	Longopac vacuum cleaner	34			Turbo Fiberpad	61		
Copper tape	53										
Cup wheels for grinding machines	17	18		M				U			
Current limiter	26			Measuring wedge	59			Unifloor 500	43		
Cutter knife	66			Mini sander	19			Universal knife	66		
Cutters	67			Minifloor	43						
D				Mitre cut shears	67			V			
Diamond discs for single disc machines	22			Mixer	69			Vacuum cleaner	34	-	36
Diamond polishing pads	64			Mixer holder	70			Vacuum system for single disc machines	20		
Discs for floor grinding machines	13	14		Mixing station	70						
Discs for hand grinding machines	17	18		Mixing tools	69			W			
Discs for single disc machines	22	-	25	Moisture meters	57	58		Welding machine	43		
Distance meter	59			Mouldign lifter	49			Welding tools	24		
Dolphin knife	66			Mozart blades	65			Wood sanding disc for single disc machine	29		
Driving aid for stripper	6			Multidisc sanding machines	29	-	32	machine	61		
Dust masks	73							Woody			
Dust separator	37			N				Wool pads			
E				Nails	72						
Easy 5000	42			Notched insersts	55			Z			
Edge sander	16			Notched spatula	54			Zyclone dust separator			
Eraser	45			Nozzles for welding tools	44						
Esge sander for parquet	29										
Esge trimmer	40			P							
Extension cable	26			Pad holder for single disc machines	25	60					
F				Pads for single disc machines	25	60					
Filter fur vacuum cleaner	34	-	36	Parquet installation tools	50						
Finishing trowel	52			Parquet sanding machines	29	-	32				
Flex spatula	52			Parquet saw	9						
Floor grinding machines	12			Pile brush	49						
Floor protection mats	74			Pin leveller	53						
Floorign cutter	51			Pre-cutter	6						
Flooring scraper	39			Pressure cork	46						
Floro scriber	41			Pressure hammer	46						
G				Pressure roller	46						
Gann moisture meters	57	58		Protection switch	26						
Grinding block	39										
Grinding stone	39			R							
Grip tapes	71			Ramps	6						
Grooving machine	42			Ride-on stripper	3						
				Roller	56						
				ROLL-STRIPPER	3	-	8				
				Rubber hammer	50						
				Rubber spatula	51						





Albstrasse 12  
D-72820 Sonnenbühl  
Germany

Phone +49 (0) 7128/9280-0  
Email [info@roll-gmbh.de](mailto:info@roll-gmbh.de)

[www.roll-gmbh.de](http://www.roll-gmbh.de)

Visit us on social media

